LAKE COUNTY HEAL

LAKE COUNTY GOVERNMENT CENTER 2293 NORTH MAIN STREET CROWN POINT, INDIANA 46307 PHONE. 738-2020 OR 663-0760





PEARL D JOHRSON DAD HEALTH SOM MISSIONER February 12, 1986

Gary Development Company Box 6056 Gary, Indiana 46406

Attn: Mr. Larry Hagen

Given below are test data obtained from four samples of well water, which were delivered to this laboratory on February 6, 1986.

| Sample | Нд | Chloride | COD | Calcium Hardness | Total Iron | Total Dissolved Solids |
|--------|-----|----------|------|---------------------|---------------|------------------------------|
| North | 7.2 | 20.0 | 368 | 349.4 | 0.16 | 1192 |
| South | 7.3 | 102.2 | 1184 | 934.4 | 0.10 | 1862 |
| East | 7.7 | 63.0 | 1067 | 232.2 | 0.08 | 1750 |
| West | 7.6 | 84.3 | 19 | 130.5 | 1.87 | 526 |

Units of concentration for Chloride, COD, Hardness, Note: Iron, and Dissolved Solids are parts-per-million.

Sincerely,

Cheryl A. Pauer

Cheryl a. Pauer

Chemist

こうら

 $\overline{\Lambda}$

Comments

F. If in an assessment program, was annual report sent to the Technical Secretary containing the results of the groundwater quality assessment program?

i) Did the report include the calculated (or measured) rate of migration of hazardous waste or constituents in the groundwater during the year?

* Fill out and attach State Summary Tables and calculation of statistics.

Circle all values that exceed MCL's. Note statistical differences.

* Fill out and attach CMEL log. Return complete package to Supervisor.

* If violations, prepare and attach appropriate enforcement referrals.

Doc Id 0047G

1/-

Letter to RCRA Groundwater File(I-F)
thru enforcement

It with raine Developing

EPA Identifier IND 077005916

Gary Land Development Co

Gary, IN

LAKE CO.

RESULTS OF GROUND-WATER MONITORING
AFTER THE FIRST YEAR

Figure 9-3 (con't)

| EPA Identifier IND 077 | 005916 |
|--|-----------------------------------|
| Person to contact about data: Telephone number: | Larry Nagun |
| Number of wells reported: | · |
| | Upgradient |
| | Downgradient |
| | Total |
| Sampling Dates (Month, Year): | 2/6/86 2nd Qtr 11/6/85 1st Qtr |
| Name and address of laboratory LAKE Co | Health Dept. |
| 2293 N. | Main St. |
| Crown Pir | nt, IN 46307 |
| | _ |

Sample Date: 2/6/86

TF 7: 171,

PARAMETERS USED AS INDICATORS OF GROUND-WATER CONTAMINATION

acadient Nakania

| , | | | | را | pgradi | ent VS Do | wng | uchent | Unk | riowri | | | |
|---------------------------------------|------------------------|--------|------------|----------|--------------|------------|-------------------------|--------|--------|---------|----------|----------|----------|
| | Upgra | adient | | ı | Downgradient | | | ad1ent | | 1 | Downgrad | lient | 1 |
| PARAMETER | Well | # Non | Ah. | Water | Elev. | (ft.) | Well | # 5021 | it | Water | Elev. | (ft.) | COMMENTS |
| (UNIT) | Rep#1 | Rep#2 | Rep#3 | Rep#4 | Mean | Variance | Rep#1 | Rep#2 | Rep#3 | Rep#4 | Mean | Variance | <u> </u> |
| pH (pH units) | 7.2 | | | | | | 7.3 | | | | | | |
| Specific Conductance (umhos/cm) | | | | | | | | | | | | | |
| TOC (mg/1) | <u> </u> | | | | | | | } | | | <u> </u> | | |
| TOX (ug/1) | } | | <u> </u> | <u> </u> | } | | | | | | | | |
| COP (mg/l) Calcium Hardness | 368 349.4 (1192) | | PARAME | TERS U | SED AS | INDICATORS | 1184 934.4 OF GRD | | ER CON | TAMINA' | TION | | |
| | Upgr | adient | | . 1 | Downgra | dient | Upgr | adient | | 1 | Downgra | dient | · |
| DADAMETER | Well | # East | <u>X</u> _ | Water | Elev. | (ft.) | Well | # _W | AL. | Water | Elev. | (ft.) | COMPATE |

| | Upgr | Upgradient | | | Downgradient | | | adient | | 1 | Downgra | , |)II (| |
|---------------------------------------|-------|------------|-------|-------|--------------|----------|------------|--------|-------|-------|---------|----------|----------|----|
| PARAMETER | Well | * East | ¥ | Water | Elev. | | Well | | | | | (ft.) | COMMENTS | |
| (UNIT) | Rep#1 | Rep#2 | Rep#3 | Rep#4 | Mean | Variance | Rep#1 | Rep#2 | Rep#3 | Rep#4 | Mean | Variance | | |
| pH (pH units) | 17.7 | } | } | } | | | 7.6 | | | | | | | |
| Specific Conductance (umhos/cm) | | | | | | | | | | | | | | |
| TOC (mg/1) | | | | | | | | | | | | | | |
| TOX (ug/1) | | | | - | | | | | | | | | | _ |
| COD (mg/1) Calcium Hardness | 1067 | ລ | | | | | 19 1305 | | | | | . (|)=>SDW |)5 |

(ma/1) Calcium Hardness (mgie)

TDS (mg/l)

Figure 9-3 (con't)

EPA Identifier IND 077005916

PARAMETERS ESTABLISHING GROUND-WATER QUALITY

| Parameter | | Upgradient VS. Downgradient Unknown | | | | | | | | | | | | |
|-----------|--------|-------------------------------------|-------|-------------------------------|----------------------------|----------|--|--|--|--|--|--|--|--|
| | (UNIT) | WELL NOCTH WATER BLEV. (ft) | | WELL FAST WATER ELEV. (ft) | WELL LEST WATER ELEV. (ft) | COMMENTS | | | | | | | | |
| hloride | (mg/1) | Zo | IDZ.Z | 63 | 84.3 | | | | | | | | | |
| Iron | (mg/1) | .16 | .10 | .08 | (1.87) | | | | | | | | | |
| Manganese | (mg/1) | | | | | | | | | | | | | |
| Phenols | (ug/1) | | | | | | | | | | | | | |
| Sodium | (mg/1) | | | | | | | | | | | | | |
| Bulfate | (mg/1) | <u></u> | | | | | | | | | | | | |

| PARAMETER | | | | | | |
|-----------|--------|-----------------------|-------|-----------------------|----------------------------|----------|
| | (UNIT) | WELL WATER BLEV. (ft) | WELT. | WELL WATER BLEV. (ft) | WELL / WATER ELEV. (ft) | COMMENTS |
| Chloride | (mg/1) | | | | | |
| Iron | (mg/1) | | | | | |
| Hanganese | (mg/1) | , | | | | |
| Phenois | (ug/1) | | | | | |
| Sodium | (mg/1) | | | | | |
| Sulfate | (mg/1) | | | | | |

PARAMETERS ESTABLISHING GROUND-WATER QUALITY

| PARAMETER | | Upgradient US Downgradient Unknown | | | | | | | | | | |
|------------------|--------|---------------------------------------|--------------------------------|-----------------------------|-----------|----------|--|--|--|--|--|--|
| | (UNIT) | WELL DORTH WATER ELEV. (ft) | WELL SOUTH WATER ELEV. (ft) | WELL FEAST WATER ELEV. (ft) | WELL (ft) | COMMENTS | | | | | | |
| Chlorid e | (mg/1) | 19.1 | 139. 2 | 108.4 | 118.7 | | | | | | | |
| Iron | (mg/1) | .08 | (2.04) | .27 | (65) | | | | | | | |
| Manganese | (mg/1) | | | | | | | | | | | |
| Phenols | (ug/1) | , , , , , , , , , , , , , , , , , , , | | | | | | | | | | |
| Sodium | (mg/1) | | | | | | | | | | | |
| Bulfate | (mg/1) | | | | | | | | | | | |

| PARAMETER | | | | | | |
|-----------|--------|-------------------------|------------------|-------------------------|----------------------------|----------|
| | (UNIT) | WELL # WATER ELEV. (ft) | WATER ELEV. (ft) | WELL # WATER ELEV. (ft) | WELL # WATER ELEV. (ft) | Сомминта |
| Chloride | (mg/1) | | | | | |
| Iron | (mg/1) | | | | | |
| Manganese | (mg/1) | | | | | |
| Pheno1s | (ug/1) | | | | | |
| Sodium | (mg/1) | | | | | |
| Sulfate | (mg/l) | | | | | |

| u |
|-----|
| Ţ |
| • |
| - (|
| |
| ¥ |
| - 1 |
| u |
| |
| _ |
| a |
| Ö |
| ğ |
| _ |
| rt |
| Ü |
| |

| EPA Identifier IND 077005916 | |
|------------------------------|--|
|------------------------------|--|

Sample Date: 11-6-85

Upgradient us Downgradient Unknown

| | | Upg | radien | t | D | owngra | dient | Upgre | dient | | T | owngra | lient | |
|-------------------|-------|------|--------|---------|-------|--------|----------|------------------------|-------|-------|-------|--------|----------|--|
| PARAMETE | | | | | | | | Well # SUTTY Water Ele | | | | (ft.) | COMMENTS | |
| | (UNIT | Rep | 1 Rep | 2 Rep/3 | Rep#4 | Menn | Variance | Rep#L | Rep 2 | Rep#3 | Rep#4 | Mean | Variance | |
| рн (рн | unite | 17.2 | , | | | | | 6.6 | ١ | | | | | |
| Specific Conducts | | | | | | | | | | | | | | |
| TOC | (mg/1 | | | | | | | | | | | | | |
| TOX | (48/1 | | | | | | | | | | | | | |

COD (mg/L) (mg/l) 342 Colcium Hardness (mg/l) 914.6 TDS (mg/L) 680

PARAMETERS USED AS INDICATORS OF GROUNDWATER CONTAMINATION

| ~~~\ | | · Go | <u>,</u> | Vater | | | | 1 | V | | | | |
|-----------|------------|---------------|----------------|----------------|----------------|----------------|----------------|--|---------------------------|----------------------|---|---|---|
| ~~~ | | | | | Elev. (| (ft.) | Well | · We | <u> </u> | Water | Elev. (| (ft.) | COMMENTS |
| NIT) | Rep/1 | Rep#2 | Rep/3 | Rep#4 | Mean | Variance | Rep#1 | Rep#2 | Rep#3 | Rep/4 | Mean | Variance | |
| its) | 7.8 | | | | | | 7.8 | | | | | | |
| e /cm) | | | | | | | | | | | : : | | |
| g/1) | | | | | ··· | | | | | | | | |
| g/1) | | | | | | <i>></i> | | | | | | | |
| | ts) e /cm) | (cm) (g/1) | (cm) 7.8 (g/1) | 7.8 (7.8) (7 | 7.8 (7.8) (cm) g/1) | 7.8 (7.8) (cm) (g/1) | 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 | 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 | 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 |

GENERAL INFORMATION

| Gary Aue. Jelopment 36 · | |
|--------------------------------|--------------|
| se lopment | |
| o6 · | |
| o6 · | |
| | |
| Upgradient Downgradient Total | |
| | |
| | |
| | |
| | |
| | |
| | Downgradient |

| EPA | Identifier | |
|-----|------------|--|
| | | |

PARAMETERS USED AS INDICATORS OF GROUND-WATER CONTAMINATION

Upgradient Well

Well #

| | | | | SPECIFIC | | 1 |
|---------------------|------|----------|-------------|-------------|-------------|---------------|
| PARAMETER | | j | pĦ | CONDUCTANCE | TOC | TOX |
| (UNIT) | | (pH | UNITS) | (umhos/cm) | (mg/1) | (ug/1) |
| Quarter 1 | REPS | | | - | | |
| Sample Date | 1 | | | | | |
| Water Elev. | 3 | | · · · · · · | | | |
| - | 4 | | | | | |
| Quarter 2 | 1 | | | | | |
| Sample Date | | | | 1 | | |
| Water Elev. | 3 | | | | · | <u> </u> |
| | 4 | <u> </u> | | | <u> </u> | <u>i</u> 1 |
| Quarter 3 | 1 | <u> </u> | | | ť | <u> </u> |
| Sample Date | | 1 | | | <u> </u> | |
| Water Erev. | 4 | | | | | \ |
| Quarter 4 | 1 | | | | | |
| Sample Date | | | | | | |
| Water Elev. | 3 | <u> </u> | | | | |
| | 4 | <u> </u> | | | <u> </u> | <u> </u> |
| Background Mean | | - | | <u> </u> | | |
| Background Variance | | <u> </u> | | ļ | <u> </u> | <u> </u> |

| EP.A | Identifier: | |
|------|-------------|--|
| | | |

PARAMETERS USED AS INDICATORS OF GROUND-WATER CONTAMINATION

Downgradient Wells*

| PARAMETER | | | | SPECIFIC CONDUCTANCE | TOC | TOX |
|-------------|---|-------------------|-------------|------------------------|------------|--------------|
| (UNII) | | Eq) | (SIINU | (umhos/cm) | (mg/1) | (ug/1) |
| Well # | QUARTER | | | | <u>.</u> . | |
| Sample Date | 2 | | • | | | - |
| Water Elev. | - 3 | | | | | |
| | 4 | | | | | |
| Well # | - 1 | | | | | |
| Sample Date | | <u> </u> | | | | 1 |
| Water Elev. | 3 | | • | | | . |
| | 4 | | | | | |
| Well # | - 1 | | | i ! | | ! ! |
| Sample Date | - 2 | | | | | |
| Water Elev. | 3 | | | | | 1 |
| | 4 | ! | | | · | ! |
| Well # | - · · · · · · · · · · · · · · · · · · · | | | | - | \ \ ! |
| Sample Date | 2 | | | | | |
| Water Elev. | - 3 | | | | | 1 |
| • | 4 | | | | | |

^{*} Use optional form on next page if downgradient samples were replicated. NOTE: Downgradient samples do not need to be replicated.

| EPA | Identifier: | |
|-----|-------------|--|
| | | |

PARAMETERS USED AS INDICATORS OF GROUND-WATER CONTAMINATION

Optional Form for Downgradient Wells*

Well # ____

| PARAMETER (UNIT) | <u>-</u> | pH (pH INTTS) | SPECIFIC CONDUCTANCE (umhos/cm) | TOC (mg/1) | TOX (ug/1) |
|---------------------|----------|---------------|---|--------------|-----------------|
| Quarter 1 | REPS | CPH UNITS/ | (umrios / cip / | (112/1) | (ug /1/ |
| Sample Date | 1 | | <u> </u> | | <u> </u> |
| Water Elev. | | | | | 1 |
| | | | İ | | <u> </u> |
| | 1 4 | | 1 | | <u> </u> |
| Quarter 2 | 1_1_ | | | | <u> </u> |
| Sample Date | 2_ | <u> </u> | | | <u>i</u> |
| Water Elev. | 3 | | İ | | <u> </u> |
| | 4 | <u> </u> | 1 | | <u> </u> |
| Quarter 3 | _1_ | | <u>i</u> | | 1 |
| Sample Date | 2 | <u> </u> | <u> </u> | | |
| Water Elev. | 3 | 1 | <u>i</u> | | 1 |
| | <u> </u> | | i | | <u>i</u> |
| Quarter 4 | 1_1_ | | <u>i</u> | <u> </u> | 1 |
| Sample Date | 2 | | <u> </u> | | i |
| Water Elev. | 3_ | <u> </u> | | | <u> </u> |
| | 1 4 | <u> </u> | <u>i </u> | İ | <u>i</u> |

^{*} Xerox this form and use one form per well if downgradient samples were replicated.

PARAMETERS ESTABLISHING GROUND-WATER QUALITY

| | | WELL Downgradient WELL Downgradient | | | | | | | | |
|-----------|--------|-------------------------------------|-------|--------|----------|----|----|----------|------|----------|
| PARAMETER | (UNIT) | 91 | 02 | η3 | 74 | QI | ე2 | ე | 04 | COMMENTS |
| Chloride | (mg/1) | | | ļ | <u> </u> | | | | | |
| lron' | (mg/1) | | | | | | | | | |
| Manganese | (mg/1) | | | | ļ | | | | | |
| Phenole | (ug/1) | | | } { | <u> </u> | | | | | |
| Sodium | (mg/1) | | | | | | | | | |
| Sulfate | (mg/l) | |) | } | <u> </u> | | | | | |

| | | Upgradient WELL Downgradient | | | | ARI'I' | Upg Dow | | | |
|-----------|----------|------------------------------|----|----------|--------------|--------|------------|-------|------|----------|
| PARAMETER | . (UNIT) | զլ | η2 | զյ | 74 | Ql | Q2 | ივ | η4 | COMMENTS |
| Chloride | (mg/l) | | | | \ <u></u> | | | | | |
| Iron | \ (mg/1) | _ | | | | | <u> </u> | , | | |
| Hanganese | (mg/1) | | | | ļ | | | | | |
| Phenols | (ug/1) | | | <u> </u> | ļ | | <u> </u> | | | |
| Sodium | (mg/1) | | | <u></u> | | | | | | |
| Sulfate | (mg/1) | | | | <u> </u> | | İ | | | |

| FPA | Identifier | - |
|-------|------------|---|
| C: 11 | , | |

DRINKING WATER SUITABILITY PARAMETERS

| | | Upgradient Downgradient | | | | 1 | | | | |
|----------------|---------------|-------------------------|-----------|-----------|-----------|-----------|-----------|---------------------------------------|-----------|----------|
| | - | | | · | | 1 | Well / | | | |
| PARAMETER | | | Quarter 2 | Quarter : | Quarter 4 | Quarter 1 | Quarter 2 | Quarter 3 | Quarter 4 | COMMENTS |
| Arsenic | (ag/1) | | | | | | | L | | |
| Marium | (mg/1) | | | | | | | | | |
| Codmium | (mg/1) | | | | | | | | | |
| Chromium | (=K/1) | | | | | | | | | |
| Pluoride | (-8/1) | | | | | | | | | |
| Lead | (ag/1) | | | | | | | | | |
| Hercury | (-8/1) | | | | | | | | ļ | |
| Hitrate, as N | | | | | | | | | | |
| Selenium | (44/1) | | | | | | | | | |
| Silver | (48/1) | | | | | | | · · · · · · · · · · · · · · · · · · · | | |
| Endrin | (4g/1) | | | 1 | | | | | [| |
| I.Indana | (48/1) | | | | | | | | | |
| Hethoxychlor | (4g/1) | | | | | | | | | |
| Toxaphene | (4g/1) | | | | | | | | | |
| 2,4-D | (48/1) | | | | | | | | | |
| 2,4,5-TP Silve | (ug/1) | | | | | | | | | - |
| Radium (| p¢1/1) | | | | | | | | | |
| Gross Alpha (| p¢1/1) | | | | | | | | | |
| Gross Beta (| p¢1/1) | | | | | L | | | | |
| Coliform Bacte | ria 100ml) | | | | | | | | | |

^{*}Exceeds EPA interim primary drinking water standards

| EPA | Identitier | - |
|-----|------------|---|
| | | كالمتاب كالبياث أنسياك المستوالين والمستوالين والمستوالين والمستوالين والمستوالين والمستوالين والمستوالين والمستوالين |

DRINKING WATER SUITABILITY PARAMETERS

| | | Upgradian | t | Downgrad i e | nt | Upgradien | t | Downgradle | nt | |
|----------------|---------------|-----------|-----------|--------------|-----------|-----------|-----------|------------|-----------|----------|
| | | | Well / | | | | Well / | | | • |
| PARAMETER | (TINU) | Quarter 1 | Quarter 2 | Quarter 3 | Quarter 4 | Quarter 1 | Quarter 2 | Quarter 3 | Quarter 4 | CONNENTS |
| Areenic | (mg/1) | | | | | | | | 1 | |
| Barium | (mg/1) | | | | | | | | | |
| Cadmium | (mg/1) | | | | | | | | | |
| Chronium | (mg/1) | | | | | | | | | |
| Pluoride | (mg/1) | | | | | | | | | |
| Lead | (mg/1) | | | | | | | | | |
| Негсигу | (mg/1) | | | | | | | | | |
| Nitrate, as N | (mg/1) | | | | | | | | | |
| Selenium | (mg/1) | | 1 | | | | | | | |
| Silver | (mg/1) | | | | | | | • | | |
| Endrin | (ug/1) | | | | | | | | | |
| l.indane | (ug/1) | | | | | | | | | |
| Hethoxychlor | (ug/1) | | · | 1 | | | | | | |
| Toxaphene | (ug/1) | | | | | | | | | |
| 2,4-D | (ug/1) | | | | | | | | | |
| 2,4,5-TP S11ve | | | | | | | | | | |
| Rudium (| | | | | | | | | | |
| Gross Alpha (| PC1/1) | | | | | | | | | |
| Grose Bets (| pC1/1) | | | | | | l | | | |
| Coliform Bacte | ria 100ml) | | | | , | | | | | |

^{*}Exceeds EPA interim primary drinking water standards

| EPA | Identifier | |
|-----|------------|--|
| | | |

SITE MAP

(Provide facility property boundaries, location of hazardous waste management component(s), location of wells, well numbers, direction of groundwater flow, and indicate "true" north. Also provide distance scale if possible.)

| エト | John M | |
|----|--------------|---------|
| | Supervisor _ | NO. |
| | Date | 414 12% |


Record Review Form

Groundwater Data from RCRA Facility

| 1. | Name of Facility Gary Land Divelopment Co. |
|----|--|
| | ID No. IND 077059162 |
| 3. | Reviewer Timothy Miller |
| 4. | Date samples taken 11-6-85 # 2-6-96 |
| 5. | Date report rec'd by State 11-21-85 ± 2-20-86 |
| 6. | Date reviewed $3/10/8/6$ |
| 7. | Type of data: 1stQ 2ndQ 3rdQ 4thQ SA A Annual report of 19_ |
| 8. | Quarterly Samples of non-RCRA parameters Y N Comments |
| | A. Were samples analyzed for the following: |
| | i) Drinking Water Supply parameters; |
| | ii) Groundwater Quality parameters; or X for Iron, Chlorides |
| | iii) Indicator parameters? |
| | a. For each indicator parameter, were at least four replicate measurements obtained at each upgradient well? b. Were pH and specific conductivity tested in the field? B. For each well, were any parameters whose concentrations or values exceeded the maximum contaminant levels allowed |
| | in drinking water supplies separately identified? |
| | i) If so, which ones? |
| | C. Were initial background concentrations of the 30 parameters submitted to the Technical Secretary within 15 days after completing each quarterly analysis? |

LAKE COUNTY HEALT.1 DEPARTMENT

LAKE COUNTY GOVERNMENT CENTER 2293 NORTH MAIN STREET CROWN POINT. INDIANA 46307 PHONE 738-2020 OR 663-0760





PETER STECY MD2 HEALTH COMMISSIONER

July 7, 1982

Gary Development Co. Inc. Box 6056 Gary, Indiana 46406 Attention: Mr. Larry Hagen

Test data tabulated below were obtained for 3 samples of water from Sanitary Landfill 45 - 2 that were delivered to this laboratory on July 1, 1982.

| Sample No. | рн | Chloride ppm | Chemical Oxygen Demand ppm | Total Hardness ppm | Total Iron ppm | Total Dissolved Solids ppm |
|------------|-----|-----------------|-------------------------------------|--------------------------|----------------------|-------------------------------------|
| 1 | 8.1 | 400 | 240 | 400 | 5.0 | 1800 |
| 3 | 7.7 | 200 | 200 | 600 | 6.5 | 1000 |
| 5 | 8.4 | 100 | 70 | 120 | 0.0 | 1300 |

July 1982 Water Samples

Sincerely,

Andrew F. Livovich

C. Chemist

AFL/lr

1 WEST WELL BY UNCCAN


2 NORTH WELL BY ADMIKTURES PLANT - DRY - NO TEST

3 SOUTH WALL BY RIVER

2 MERT Y BNITOLYPT 380, DEED

LAKE COUNTY HEALT.

LAKE COUNTY GOVERNMENT CENTER 2293 NORTH MAIN STREET CROWN POINT, INDIANA 46307 PHONE: 738-2020 OR 663-0760



HEALTH COMMISSIONER

October 31, 1984

TE

Gary Development Co. Box 6056 Gary, Indiana 46406

Attention: Mr. Larry Hagen:

The following test data obtained for the 4 well water samples that you delivered on October 30, 1984.

| Well | рн С | nloride | Chemical Oxygen Demand | Calcium Hardness | Total Iron | Total Dissolved Solids |
|-------|------|---------|------------------------------|---------------------|---------------|------------------------------|
| | | | Part | s per mill | ion | |
| North | 7.7 | 100 | 150 | 260 | 1.4 | 750 |
| South | 7.6 | 400 | 100 | 770 | 1.3 | 1900 |
| West | 7.9 | 600 | 200 | 650 | .53 | 1850 |
| East | 7.75 | 250 | 100 | 550 | 1.35 | ,2000 |

Attached please find Statement of fees.

C. Chemist

LAKE COUNTY HEALT

LAKE COUNTY GOVERNMENT CENTER 2293 NORTH MAIN STREET 10 10 AH CROWN POINT, INDIANA 6307

PHONE: 738-2020 OR 0663-0760 CHE EALTH



February 13, 1985

2C/d

Gary Development Co. Box 6056

Gary, Ind. 46406 Attn: Mr. Larry Hagen

Dear Mr. Hagen:

Given below are test data obtained from four Well Water Samples that you delivered on February 8, 1985. These are as follows:

| Sample | На | Chloride | COD | Calcium Hardness | Total Iron | Total Disolved Solids |
|--------|------|----------|-----|---------------------|---------------|-----------------------------|
| North | 7.7 | 100 | 160 | 210 | 1.0 | 770 |
| South | 7.6 | 360 | 180 | 1150 | 1.35 | 2050 |
| East | 7.9 | 150 | 160 | 250 | 1.4 | 2250 |
| West | 7.75 | 250 | 80 | 500 | 0.4 | 1750 |

índrew F. Livóvich

C. Chemist

LAKE COUNTY HEAL.A

LAKE COUNTY GOVER. MENT CENTER 2293 NORTH MAIN STREET CROWN POINT INDIANA 46307 PHONE 738-2020 OR 663-0760





PEARL D JOHNSON, M.D. HEALTH COMMISSIONER

August 23, 1985

AUG 34 10 13 M '85
POLLUTION OF LAND
POLLUTION FIEALTH
BOAND OF HEALTH

Gary Development Company Box 6056 Gary, Indiana 46406

Attn: Mr. Larry Hagen:

Given below are test data obtained from four samples of Well Water which you delivered to this laboratory on July 30, 1985.

| Sample | рН | Chloride | COD | Calcium Hardness | Total Iron | Total Dissolved Solids |
|--------|-----|----------|-----|---------------------|---------------|------------------------------|
| North | 7.5 | 22.4 | 375 | 298 | 0.15 | 600 |
| South | 7.5 | 127.3 | 60 | 693 | 0.17 | 1200 |
| East | 7.5 | 54.8 | 900 | 1098 | 0.17 | 1900 |
| West | 8.0 | 616.0 | 17 | 242 - | 0.49 | 1500 |

Sincerely,


Charge I Facer

Cheryl A. Pauer

DEPARTMENT

LAKE COUNTY GOVERNMENT CENTER 2293 NORTH MAIN STREET CROWN POINT, INDIANA 46307 PHONE: 738-2020 OR 663-0760





Gary Development Company Box 6056 Gary, Indiana 46406

Attn: Mr. Larry Hagen

Nov 21 2 16 11 185

DIVISION OF LAND
POLLUTION CONTROL
STATE
BOARD OF HEALTH

Given below are test data obtained from four samples of well water, which were delivered to this laboratory on November 6, 1985.

| Sample | рН | Chloride | COD | Calcium Hardness | Total Iron | Total Dissolved Solids |
|--------|-----|----------|-----|---------------------|---------------|------------------------------|
| North | 7.2 | 19.1 | 342 | 314.6 | 0.08 | 681 |
| South | 6.6 | 139.2 | 91 | 588.0 | 2.04 | 1584 |
| East | 7.8 | 108.4 | 624 | 217.4 | 0.27 | 2563 |
| West | 7.8 | 118.7 | 25 | 194.8 | 0.65 | 656 |

Note: Units of concentration for Chloride, COD, Hardness, Iron, and dissolved solids are parts-per-million.

Sincerely,

Cheryl A. Pauer Chemist

Cheryl a. Pauer

Laké Co

LAKE COUNTY HEAL

LAKE COUNTY GOVERNMENT CENTER 2293 NORTH MAIN STREET CROWN POINT, INDIANA 46307 PHONE. 738-2020 ŬŘ 663-0760





1ST Courter

PEARL D JOHNSON D. HEALTH EDMANSSIONER February 12, 1986

Gary Development Company Box 6056 Gary, Indiana 46406

Attn: Mr. Larry Hagen

Given below are test data obtained from four samples of well water, which were delivered to this laboratory on February 6, 1986.

| Sample | <u>р</u> Н | Chloride | COD | Calcium Hardness | Total Iron | Total Dissolved Solids |
|--------|------------|----------|------|---------------------|---------------|------------------------------|
| North | 7.2 | 20.0 | 368 | 349.4 | 0.16 | 1192 |
| South | 7.3 | 102.2 | 1184 | 934.4 | 0.10 | 1862 |
| East | 7.7 | 63.0 | 1067 | 232.2 | 0.08 | 1750 |
| West | 7.6 | 84.3 | 19 | 130.5 | 1.87 | 526 |

Units of concentration for Chloride, COD, Hardness, Note: Iron, and Dissolved Solids are parts-per-million.

Sincerely,

Cheryl A. Pauer

Cheryl a. Pauer

Chemist

(HWELLS INSTEAD of (6)

Page $\frac{1}{3}$

INDIANA STATE BOARD OF HEALTH DIVISION OF LAND POLLUTION CONTROL FIELD INFORMATION

| Sample Location, City First: GA | | | _ |
|---|--|--------------------------------------|---|
| Sample Date 7/20/85 10:38/AH)PF Delivered to Lab / / | CoTTec | tor(s) A. CARR L. DAVIDSOI | |
| 3y(Signature) for f. Laure CONTAINERS 1 L Plastic Bottles 1 L Glass Bottles 1 Pint Glass Jars 40 mL Vials 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars 1 L Glass Jars | Monitoring Well Casing Stick-up Well Depth Water Depth (fro | | |
| PRESERVATIVES USED * 50% 42804 * HN03 * 50% NaOH No Preservative Used* Hg pres. * AC | 世15 2 m 李0385 5 m | unt 17/L 17/L 17/L m17/L | |
| SAMPLE TYPE(Circle) Well Mon. Well Ash Creek Leachate Soil Ditch Oil Sludge Lagoon Solvent Sand | Indust. Waste Waste Pile Drummed Waste Field Blank | Solid Fluid Truck Misc. | |
| Sampling Methods: (grab composit | e) | | _ |
| Miscellaneous For Enforcement? YES NO Results Requested By | Handling Preca | utions? YES NO | |
| PROGRAM AREA RCRA CERCLA SOL Approximate Concentration(Worst Cas less than 10 ppm 1000 ppm Notes: | | greater than 15% | - |

Copy Sout TO EPA

Sample I.D. Control No. A0755-A0760 Sample Date 7/3085 : All PH

MAP:

N. Landfill '€

| Results of Field Testing | |
|---|--|
| Test Result | PRESERVATIVES USED Chemical Lot No. 50% H2SO4 #0385 HNO3 " 50% NaOH " 2N Zn-Ac "/ |
| Sample Date $\frac{7}{20} \frac{30}{85} \frac{9}{9} : \frac{30}{20}$ | AMPM |
| CONTAINERS L Plastic Bottles L Glass Bottles Pint Glass Jars O mL Vials Other | Monitoring Well Data Casing Stick-up 3.5 Well Depth 14.8 Water Depth (from casing top) 4.4 |
| AMPLE TYPE(Circle) 11 Mon. Well Ash eek Leachate Soil sitch Oil Sludg agoon Solvent Sand | Indust. Waste Solid Waste Pile Fluid ge Drummed Waste Truck Field Blank Misc. |
| hich samples were filtered p | prior to preservation? NONE |
| Deviations from Sampling ** No instru Temp & C Other Cal | ments available to take pH Onductivity, - all broken y didn't have any either |
| | |
| | , |
| Other Observations - Punged wells - Mo Concre | to sook on any wells |
| Other Observations - Purged wells - Mo Concre | to sook on any wells |

Sample I.D. SOUTH WELCONTROL No. AC756 Results of Field Testing Test Result PRESERVATIVES USED Chemical 50% H2SO4 HNO3 50% NaOH 2N Zn-Ac Sample Date 7/30/85 10:00 AM PM Monitoring Well Data CONTAINERS Casing Stick-up 1 L Plastic Bottles 1 L Glass Bottles Well Depth Water Depth (from casing top) 3.5 1 Pint Glass Jars 40 mL Vials Other SAMPLE TYPE (CITCLE) Mon. Well Indust. Waste Well Ash Solid Leachate Creek Soil Waste Pile Fluid Oil Ditch Sludge Drummed Waste Truck Lagoon Solvent Sand Field Blank Misc. Which samples were filtered prior to preservation? NONE Deviations from Sampling Plan Other Observations

(Signature) four L. Davidso.

Date 7-30-85

| | ts of Field | Utl(Control No. Testing | | Y WELL | |
|---|--|---|--|--------------------------------------|----------|
| | Test | Result | PRESERVATIVES Chemical 50% H2SO4 HNO3 50% NaOH 2N Zn-Ac | USED Lot No. #0385 | |
| Sampl | e Date <u>7</u> / <u>%</u> | 185 10:15(AM) | PM | | |
| l L G | INERS lastic Bottl lass Bottles t Glass Jars Vials | 2 | Monitoring Well Casing Stick-up Well Depth Water Depth (from | 1.6 16.7'- Hruset, | |
| SAMPLE 11 _eek Ditch Lagoor | Mon. Wel Leachate Oil Solvent | 1 Ash | Indust. Waste Waste Pile Drummed Waste Field Blank | Solid Fluid Truck Misc. | |
| Which | samples were | e filtered prio | r to preservation? | NONE | |
| - - - - | Deviations for | rom Sampling Pla Ut - Rilied Ut y Selt ut met la | an Well - all y sample for dugt for ou | e to get ~ 1/2 gal other laby the | |
| 0 | ther Observa | ations | | | |
| _ | | ······································ | | | |
| | | | (Signature) Date _7-30- | Loui L. Davidso | <u>_</u> |

| Camp | in in North | WEControl No. | A0758 | | |
|----------------------------------|---|--------------------------------------|--|----------------------------------|--|
| | lts of Field | | | | - |
| | Test | Result | PRESERVATIVES Chemical 50% H2SO4 HNO3 50% NaOH 2N Zn-Ac | Lot No. #0385 | |
| CONTA 1 L F 1 L G 1 Pin | AINERS Plastic Bottle Glass Bottles at Glass Jars Vials | # | PM Monitoring Well Casing Stick-up Well Depth Water Depth (fr | | <u>, </u> |
| Well Creek Ditch Lagoo | o Oil n Solvent | Ash Soil Sludge Sand | Indust. Waste Waste Pile Drummed Waste Field Blank | Solid Fluid Truck Misc. | |
| | | om Sampling Pla | t to preservation?_ | NONE. | |
| - - - - | Other Observa Rustid Mo- Cres | tions. Fal Casing y Filty Ee pg 3 | ureo c | | |
| _ | | | (Signature)_ Date _7-30 | Lou L. | aira |

| esults of Field Test | ing sult | PRESERVATIVES | IISED |
|--|-------------|-------------------------------|--------------------|
| <u>Test</u> <u>Res</u> | <u>surc</u> | Chemical | Lot No. |
| | | 50% H2SO4 | #0385 |
| | | <u>HNO3</u> 50% NaOH | |
| | | 2N Zn-Ac | |
| | | | |
| mple Date $7/32/95$ | 9.36 (AM | РМ | |
| NTAINERS | # 0 2 | Monitoring Well | Data |
| L Plastic Bottles L Glass Bottles | 1 | Casing Stick-up Well Depth | 14.81 |
| Pint Glass Jars _ | O | Water Depth (fro | om casing top) 4,4 |
| mL Vials | 2 | | |
| her _ | | | |
| MPLE TYPE (Circle) | | | |
| ll <u>Mon. Well</u> eek <u>Leachate</u> | Ash Soil | Indust. Waste Waste Pile | Solid Fluid |
| eek Leachate tch Oil | Sludge | Drummed Waste | Truck |
| | | | |
| | Sand | Field Blank | Misc. |
| goon Solvent | | Field Blank | |
| | | Field Blank | |
| goon Solvent | tered prior | Field Blank to preservation? | |
| goon Solvent | tered prior | Field Blank to preservation? | |
| goon Solvent | tered prior | Field Blank to preservation? | |
| goon Solvent | tered prior | Field Blank to preservation? | |
| goon Solvent ch samples were fil | tered prior | Field Blank to preservation? | |
| goon Solvent | tered prior | Field Blank to preservation? | Misc. None |
| goon Solvent ich samples were fil | tered prior | Field Blank to preservation? | Misc. None |
| goon Solvent ich samples were fil Deviations from So | tered prior | Field Blank to preservation? | Misc. None |
| goon Solvent | tered prior | Field Blank to preservation? | Misc. None |
| goon Solvent ich samples were fil Deviations from So | tered prior | Field Blank to preservation? | Misc. None |
| goon Solvent ich samples were fil Deviations from So | tered prior | Field Blank to preservation? | Misc. None |
| goon Solvent ich samples were fil Deviations from So | tered prior | Field Blank to preservation? | Misc. None |
| goon Solvent ich samples were fil Deviations from So | tered prior | Field Blank to preservation? | Misc. Nong |

| ılts of Field Test | ing | | | |
|--|--------------|--|---|--|
| Test Re | esult | PRESERVATIVES Chemical 50% H2SO4 HNO3 | <u>USED</u> <u>Lot_No.</u> <u>#0385</u> | |
| | | 50% NaOH 2N Zn-Ac | () | |
| le Date <u>7/30/8</u> 5 | : AM | PM | | |
| AINERS Plastic Bottles Glass Bottles nt Glass Jars L Vials | # 0 2 | Monitoring Well Casing Stick-up Well Depth Water Depth (from | | |
| LE TYPE (Circle) Mon. Well Leachate n Oil | Sludge | Indust. Waste Waste Pile Drummed Waste | Solid Fluid Truck | |
| on Solvent | Sand | Field Blank | Misc. | |
| n samples were fil | ltered prio | r to preservation? | | |
| n samples were fil Deviations from S | - | r to preservation? an | | |
| | - | - | | |
| | - | - | | |
| | - | - | | |
| Deviations from S | Sampling Pla | - | | |
| | Sampling Pla | - | | |
| Deviations from S | Sampling Pla | - | | |

(Signature) Date 7-20-85

Sample I.D. BLANK Control No. AC766 Results of Field Testing PRESERVATIVES USED Test Result Chemical Lot No 50% H2SO4 HNO3 50% NaOH 11 2N Zn-Ac Sample Date 7/2/85 10:00 (AM) PM CONTAINERS Monitoring Well Data N.A. 1 L Plastic Bottles Casing Stick-up 1 L Glass Bottles Well Depth l Pint Glass Jars Water Depth (from casing top) 40 mL Vials Other SAMPLE TYPE (Circle) `. **1** Mon. Well Ash Indust. Waste Solid Soil Leachate Waste Pile aek. Fluid Ditch Oil Sludge Drummed Waste Truck Lagoon Solvent Field Blank Sand Misc. Which samples were filtered prior to preservation? NONEDeviations from Sampling Plan Other Observations

> (Signature) for L. Laurdson Date 7-30-45

INDIANA STATE BOARD OF HEALTH DIVISION OF LAND POLLUTION CONTROL LABORATORY ANALYSIS REQUEST

| | Date Delivered , | | |
|---|--------------------|--|---|
| | Control No.(s) | TAO755- A0762 | |
| | Lab Sample No.(s) | | |
| | Parameters Or Task | s Requested (circle)- all of the task | |
| | | (x) - part of the task | |
| | | | |
| | TASK TOTTLE | * (| 7 |
| | | 5 ug/L YES NO | ┪ |
| | | 0 ug/L | |
| | Cadmium | 5 ug/L | |
| | | 5 ug/L TASK 6 - SEMI-VOLATILE ORGANICS | 7 |
| | | 5 ug/L YES NO | ┥ |
| | Mercury | T ug/L | _ |
| | | 5 ug/L (See attached sheets for the above) | |
| | Selenium | 5 ug/L | |
| | | 5 ug/L | |
| | | | |
| | MASK 2 TXT | * | |
| _ | | O mg/L | |
| | | O mg/L | |
| | | 5 mg/L | |
| | Phenois .000 | 5 mg/L | |
| | | O my/L | |
| | | D mg/L | |
| / | | | |
| | TASK 3 | x | |
| | DH (DOU2) | 0.1 | |
| | Specific Cond. | 5.0 | |
| | TOC | 1.0 mg/L | |
| | TOX | 1.0 mg/L | |
| | | | |
| / | TASK 4-+ | x | |
| | Total Cyanide | 5.0 ug/L | |
| _ | fotal Sulfide | | |
| | | | |
| | | | |
| | | | |
| | Miscellaneous | x * | |
| | Total Solids | mg/L | |
| | Dissolved Solids | mg/L mg/L | |
| | Flash Point (DOO1) | C | |
| | PCB 'S | ug/L | |
| | Oil & Grease | | |
| | COD | mg/L | |
| | BTU | | |
| | | | |
| | | | |

INDIANA STATE BOARD OF HEALTH DIVISION OF LAND POLLUTION CONTROL CHAIN OF CUSTODY

| I certify presence. Signature | that the samples listed by four f. Caurds | | ected by me or | in my |
|--|---|--|------------------------------------|--------------------|
| Control No. A0755 A0756 A0757 A0757 A0760 A0760 | Consisting of the Indicated No. of Bottles and Type 4 pl, 2l, 2vals 4 plastics, 3l, 2vals ORY WELL 11 | Date Collected 7-30-85 (1) (1) (1) (1) (1) (1) | d and Time Seal | |
| | (| ARRIERS | | |
| Reli | that I received the above nquished ignature) Date and Ii Laurdson 7/31/85 10 PC Rep | Recei | ved By ature) D | ate and Time And F |
| the official competent larea. | LAB that I received the above all record book, these same laboratory personnel at all Aulie Ward | samples will l l times or lock | be in the custo ked in a secure | ody of ed |

INDIANA STATE BOARD OF HEALTH DIVISION OF LAND POLLUTION CONTROL SAMPLE RECEIPT

| Site: GARY LAND DEVELOPMENT |
|------------------------------------|
| |
| Split Samples Requested : (Yes) No |
| Split Samples Accepted : Yes , No |
| |
| (Signature) James 9) Hoge Te |
| Send Results To : |
| |
| iame: GARY DEUELOPMENT CO IVC |
| Iddress: LITY N. CLINE AUE. |
| P.O. Box 6056 |
| GARY INDIANA |
| 116406 |
| Comments |
| |
| PC Representative Lou L. Dairdson |
| // • // |

STATE BOARD OF HEALTH

INDIANAPOLIS

OFFICE MEMORANDUM

DATE: November 13, 1985

Karyl K. Schmidt, Chief Cally Ki TO:

THRU: Jack C. Corpuz fe 11/14/85

●223 3

Geology Section

Gregory A. Busch \$ 08 11/14 FROM:

Quality Assurance Officer

 ${\tt SUBJECT}$ Groundwater Monitoring Laboratory Results for

Gary Land Development

Lake County

Collected on July 30, 1985

I have reviewed the attached laboratory results. I have determined that the results are acceptable for use in enforcement actions. These results have been evaluated for the quality criteria contained in the Indiana Quality Assurance Project Plan. Any qualifications to the acceptance of this data will be identified in this memo.


Field duplicate samples are used to establish the representativeness of the field sampling (i.e., the homogeneity of the water in the well). The field duplicates compare well. Field blanks are used to determine sample contamination due to field sampling equipment, sample containers, and preservatives. The field blank is contaminated with a low level of iron.

The organic analysis for the parameters of acetone, acrolein, acrylonitrile, carbon disulfide, and paraldehyde exceeded the 14-day holding time for volatile organics. The results for the above parameters are not acceptable for use. Analysis for Task 6 (semi-volatiles) organics was not reported since it exceeded the holding time.

The interim primary and secondary drinking water levels (SDWA) violated are highlighted on the attached summary sheet(s). There are 12 such violations. The primary standards (SDWA) refer to the parameters of arsenic, barium, cadmium, chromium, lead, mercury, selenium, silver, endrin, lindane, methoxychlor, toxaphene, 2,4-D, and 2,4,5 TP Silvex. The secondary standards are not health based standards, but are levels set for the aesthetic quality of water. The secondary standards tested are chloride, iron, manganese, pH, sulfate, and total dissolved solids. Other parameters of interest are also highlighted.

GAB/tr Attachments

Copy Sout = EPA



| - Sampled 39, 7, 1/30/85 | 2thane | | | | | | <u></u> | PB | | | | | Field Tadoutor | Te. 47 ! | · Hd | Sp (c) d. | | |
|--|--------------|---|----------|----------|-----|-------|-----------|-----|------|------|------|-----|----------------|-----------------|-------------|-----------|---|--------|
| HO755 Field S HO756 (3) 4. | .2. | | | | | | | | | | | | 4 | Va ₁ | 40f labl | 2 | | _ |
| A0758 (11) 4A0 759 Field \ | 5 2. | | | | | | | | | | | | | | | | | _ |
| AO 759 Prelet & AO 760 Field & AC 757 (E) A C 757 | 2. | ~ | y | ω | el | / | | | | | | | | | | | | _ |
| | | | | | Vai | 4 3 | lan La | 11 | Dev | eloj | Om | 221 | | | | | | _ |
| | _ | | | | | J | La | je. | Cî-1 | n | ty J | | | | | | | _ |
| | - | | | | | | | | | | | | | | | | | _ |
| | + | | | | | | | | | | | | | | | | | - - |
| | + | | | | | | | | | | | | | | | | | _ |
| | 1 | | | | | | | | | | | | - - - | | | | | |
| | | | | | | | | | | | | | _ | - | | | | |
| | | | | | | | · | | | | | | | | | | | |
| (| | | | | | | | | | | | | | | | | | |
| | _ | + | - | | | | | | | | | /- | hea | ory | a., | Busi | L | |

| Oct | 28 | 10 | 05 | 111 | 165 |
|-----|----|----|------------|-----|-----|
| 001 | | | ~ ~ | W+4 | ~~ |

| DLPC Sabibised ! OF LAND | A0755 | | EIS #_ | LP062 |
|--------------------------|--------------|----------------|------------|----------|
| POLLUTION CONTROL | | | | |
| Data Bacaisa #157_31_95 | Pagainad Pu. | IW Date Report | Submitted. | 10-25-85 |

Date Received By: JW Date Report Submitted: 10-25-85

|TASK 1|

Turn Around Time 30 days
Mercury Preservative Batch No.
Other Metal Preservative Batch No.

| Parameter | Result (mg/l) | Precision (% RSD) | <u>Accuracy</u> <u>Matrix</u> | (% R) EPA OC | Method Blank |
|-----------|---------------|-------------------|----------------------------------|-----------------|-----------------|
| Arsenic | <0.01 | | | 96.0 | <0.01 |
| Barium | <0.5 | | | 119.7 | <0.5 |
| Cadmium | <0.005 | | | 109. | <0.005 |
| Chromium | <0.01 | | | 110. | <0.01 |
| Lead | 0.020 | | 82.5 | 105.4 | <0.07 |
| Mercury | <0.0002 | | | 85.7 | (0.00.2 |
| Nickel | <0.01 | | | 120. | <0.01 |
| Selenium | <0.005 | | 101.9 | 88.1 | <0.005 |
| Silver | <0.005 | | | 103.3 | <0.005 |

TASK 21

Turn Around Time 30 days Date Analyzed: 8-7-85 Phenol Preservative Batch No.

| <u>Parameter</u> | Result (mg/l) | Precision (% RSD) | <u>Accuracy</u> <u>Matrix</u> | (% R) EPA QC | Method Blank |
|------------------|---------------|-------------------|----------------------------------|-----------------|-----------------|
| Chloride | 544. | | 112. | 100.6 | <1 |
| Iron | 1.2 | | | 104.5 | <0.1 |
| Manganese | 0.213 | = | | 103.5 | <0.025 |
| Phenols | 0.008 | | | 108.3 | (0.005 |
| Sodium | 277. | | 86.2 | 116. | <1.\ . |
| Sulfate | 355. | | | 117. | ⟨5. |

| DLPC Sample_ | | A07 | 755 | | EIS | # <u>LP062</u> | | |
|---|--|--------------|----------------------|--------------|-----------------|------------------------|--|--|
| | | | | _ | | | | |
| | | | ITASK 3 | 1 | | | | |
| Turn Around TOC Preserva | | | | Date Analyze | ed: 8-20- | B5 | | |
| Parameter*] | Result | <u>Units</u> | Precision (% RSD) | | | Method Blank | | |
| рН | 7.8 | Нq | | | | | | |
| Sp. Cond. | 2780. | umhos | | | | | | |
| TOC | 9.828 | mg/l | 0.83 | | 99.8 | <1 | | |
| TOH** | 0.074 | mg/l | | | | | | |
| T Residue | 1786. | mg/l | | | | | | |
| TÖC TOH | * Sp. Cond. = Specific Conductance TOC = Total Organic Carbon TOH = Total Organic Halogen T Residue = Total Residue | | | | | | | |
| ** Samples Ll Nitrate Wash | | 6 exhibit | ced 2.97 ug | Chloride for | : 80 mg Ca | rbon + | | |
| | | | TASK 4 | Ī | | | | |
| Turn Around Cyanide Pres Sulfide Pres | ervative | Batch No. | · | | yzed: 8-5 | -85 | | |
| Parameter | Result (ug/1) | | rision RSD) | Accuracy (| (% R) EPA QC | Method <u>Blank</u> | | |
| Total Cyanide | <5.0 | | | | 93.8 | ⟨5.0 | | |
| Total Sulfide | <6.0 | 0 | | | | | | |

| DLPC Sample | A0755 | | EIS # LP062 |
|-----------------------------------|--------|----------------|-------------|
| | | | |
| | | TASK 5 | |
| Turn Around Time VOC Vial Lot No. | 30days | Date Analyzed: | 8-19-85 |

SURROGATE RESPONSES

| Surrogate No. | Compound | % Recovery | QC Limits |
|---------------|---|---|----------------------------|
| 1 | . Trichlorotrifluoroethane . 1,4-Dichlorobutane | | 71-128 69-121 |
| 3 | BromochloromethaneToluene, d61,4-Dichlorobutane | 98.9/102.0 107.7/106.7 98.0/107.2 | 78-122 82-118 76-124 |

SAMPLE RESULTS

| | | | | | ` . |
|-------------------------|--------|-------------------|-------------------------|-------------------|-----------------------------|
| Parameter | Result | Precision (% RSD) | <u>Accura</u> Matrix | cy (%R) EPA OC | Method <u>Blank</u> ug/l |
| Acetone | <10 | 0.0 | | | <10 |
| Acrolein | <10 | 0.0 | | | <10 |
| Acrylonitrile | <10 | 0.0 | | | <10 |
| Benzene | <2 | 0.0 | | | < 2 |
| Bromoform | ⟨2 | 0.0 | | | <2 |
| Bromodichloromethane | ⟨2 | 0.0 | | | < 2 |
| Bromomethane | <2 | 0.0 | | | <2 |
| Carbon Disulfide | <100 | 0.0 | | | <100 |
| Carbon Tetrachloride | ⟨2 | 0.0 | | | < 2 |
| Chlorobenzene | <2 | 0.0 | | | < 2 |
| Chlorodibromomethane | <2 | 0.0 | | | < 2 |
| Chloroethane | <2 | 0.0 | | | < 2 |
| 2-Chloroethylvinylether | <2 | 0.0 | | | <2 |
| Chloroform | <2 | 0.0 | | | <2 |
| Chloromethane | <2 | 0.0 | | | <2 |
| Dichlorodifluoromethane | ⟨2 | 0.0 | | | <2 |
| 1,1-Dichloroethane | ⟨2 | 0.0 | | | <2 |
| 1,2-Dichloroethane | ₹2 | 0.0 | | | (2 |
| 1,1-Dichloroethene | ⟨2 | 0.0 | | | <2 |
| t-1,2-Dichloroethene | <2 | 0.0 | | | <2 , |
| 1,2-Dichloropropane | <2 | 0.0 | | | <2 (|
| c-1,2-Dichloropropene | <2 | 0.0 | | | <2 |
| t-1,2-Dichloropropene | <2 | 0.0 | | | < 2 |
| | | | | | |

Page 4 of 7

| DLPC Sample | <u> A0755</u> | | | EIS | # <u>LP062</u> |
|---------------------------|---------------|-------------------|---------------------------------|------------------|-----------------|
| Parameter | Result (ug/l) | Precision (% RSD) | <u>Accurac</u> <u>Matrix</u> | y (%R) EPA OC | Method Blank |
| Ethylbenzene | ⟨2 | 0.0 | | | ⟨2 |
| Fluorotrichloromethane | ⟨2 | 0.0 | | | <2 |
| 2-Hexanone | <10 | 0.0 | | | <10 |
| Methylene Chloride | <2 | 0.0 | · | | <2 |
| Methyl Ethyl Ketone | <10 | 0.0 | | | <10 |
| Methyl Isobutyl Ketone | <10 | 0.0 | | | <10 |
| Paraldehyde | <10 | 0.0 | | | <10 |
| Styrene | < 2 | 0.0 | | | ⟨2 |
| 1,1,2,2-Tetrachloroethane | <2 | 0.0 | | | <2 |
| Tetrachloroethylene | <2 | 0.0 | | | <2 |
| Toluene | <2 | 0.0 | | | ⟨2 |
| 1,1,1-Trichloroethane | <2 | 0.0 | | | < 2 |
| 1,1,2-Trichloroethane | <2 | 0.0 | | | ⟨2 |
| Trichloroethylene | <2 | 0.0 | | | <2 |
| Vinyl Acetate | <10 | 0.0 | | | <10 |
| Vinyl Chloride | <2 | 0.0 | | | ⟨2 |
| m-Xylene | <10 | 0.0 | | | <10 |
| o-Xylene | <10 | 0.0 | | | <10 |
| p-Xylene | <10 | 0.0 | | | <10 |
| | | | | | |

Oct 28 10 05 3% '85 ANALYTICAL REPORT

| DLPC Samporturion CONTROL | A0756 | | | EIS #_ | LP063 |
|-----------------------------|-------------|--------------|-------------|------------|----------|
| Date Receipment of F7H31TH5 | Received By | 7: <u>J₩</u> | Date Report | Submitted: | 10-25-85 |

TASK 1

Turn Around Time 30 days Mercury Preservative Batch No. Other Metal Preservative Batch No.

| Parameter | Result (mg/l) | Precision _(% RSD) | <u>Accuracy</u> <u>Matrix</u> | (% R) EPA OC | Method Blank |
|-----------|---------------|-----------------------|----------------------------------|-----------------|-----------------|
| Arsenic | <0.01 | 0 | 141. | 96.0 | <0.01 |
| Barium | <0.5 | | | 119.7 | <0.5 |
| Cadmium | <0.005 | | | 109. | <0.005 |
| Chromium | 0.012 | | 127.5 | 110. | <0.01 |
| Lead | 0.035 | | | 105.4 | <0.07 |
| Mercury | <0.0002 | | | 85.7 | (0.0002 |
| Nickel | 0.017 | | | 120. | <0.01 |
| Selenium | <0.005 | 0 | | 88.1 | <0.005 |
| Silver | <0.005 | | | 103.3 | <0.005 |

TASK 21

Turn Around Time 30 days Date Analyzed: 8-7-85 Phenol Preservative Batch No.

| <u>Parameter</u> | Result (mg/l) | Precision (% RSD) | <u>Accuracy</u> <u>Matrix</u> | (% R) EPA QC | Method <u>Blank</u> |
|------------------|---------------|-------------------|----------------------------------|-----------------|------------------------|
| Chloride | 148. | 2.4 | | 100.6 | <1 |
| Iron | 15.2 | | | 104.5 | <0.1 |
| Manganese | 0.510 | | | 103.5 | <0.025 |
| Phenols | 0.008 | 0 | | 108.3 | <0.0, |
| Sodium | 103. | | | 116. | <1. \ \ |
| Sulfate | 1000. | | | 117. | <5. |

| DLPC Sample_ | | A07 | 56 | | EIS # | LP063 | |
|--|------------------|--|-------------------|----------------------------------|-----------------|-----------------|--|
| | | | ITACK 31 | | | | |
| Turn Around Time 30 days Date Analyzed: 8-20-85 TOC Preservative Batch No. | | | | | | | |
| <u>Parameter*</u> | <u>Result</u> | <u>Units</u> | Precision (% RSD) | <u>Accuracy</u> <u>Matrix</u> | (% R) EPA QC | Method Blank | |
| рН | 7.5 | рН | 0 | | | | |
| Sp. Cond. | 2610. | umhos | 0 | | | ` | |
| TOC | 16.88 | mg/l | 0.58 | | 99.8 | <1 | |
| тон | <0.050 | mg/l | 32.9 | | | | |
| T Residue | 2337. | mg/l | 0.42 | | | | |
| * Sp. Cond. TOC TOH T Residue | = Tota = Tota | ific Cond l Organic l Organic l Residue | Carbon Halogen | | | | |
| | | | TASK 4 | | | | |

| Turn Around Time | 30 | _days | Date Anayzed: | 8-5-85 |
|--|-------|-------|---------------|--------|
| Cyanide Preservative Sulfide Preservative | Batch | No | - | |

| Parameter | Result (ug/l) | Precision (% RSD) | <u>Accuracy</u> <u>Matrix</u> | (% R) EPA OC | Method <u>Blank</u> |
|------------------|---------------|-------------------|----------------------------------|-----------------|------------------------|
| Total Cyanide | 6.0 | | | 93.8 | <5.0 |
| Total Sulfide | 1.0 | | | | |

| DLPC Sample | A0756 | EIS # LP063 |
|-------------|---------|-----------------|
| | | |
| | TASK 51 | |

Turn Around Time _____30 days Date Analyzed: 8-19-85 VOC Vial Lot No. _____

SURROGATE RESPONSES

| Surrogate No. | Compound | % Recovery | OC Limits |
|---------------|---|-------------------------|----------------------------|
| 1 | . Trichlorotrifluoroethane . 1,4-Dichlorobutane | | 71-128 69-121 |
| 3 | BromochloromethaneToluene, d61,4-Dichlorobutane | 103.3 104.8 106.5 | 78-122 82-118 76-124 |

SAMPLE RESULTS

| Parameter | | Result (ug/l) | Precision (% RSD) | Cy (%R) EPA QC | Method <u>Blank</u> ug/ |
|-------------------------|-----|---------------|----------------------|-----------------------|--|
| Acetone | | <10 | | | <10 |
| Acrolein | | <10 | | | <10 |
| Acrylonitrile | | <10 | | | <10 |
| Benzene | | <2 | | | <2 |
| Bromoform | | 〈2 | | | ⟨2 |
| Bromodichloromethane | | 〈2 | | | ⟨2 |
| Bromomethane | | ₹2 | | | ⟨2 |
| Carbon Disulfide | | ₹100 | | | ₹100 |
| Carbon Tetrachloride | | ⟨2 | | | ⟨2 |
| Chlorobenzene | | ₹2 | | | ₹2 |
| Chlorodibromomethane | | (2 | | | ₹2 |
| Chloroethane | | ⟨2 | | | ₹2 |
| 2-Chloroethylvinylether | | \2 | | | \2 |
| Chloroform | | <2 | | | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | | | | | |
| Chloromethane | | <2 | | | <2 |
| Dichlorodifluoromethane | | <2 | | | <2 |
| 1,1-Dichloroethane | 4.8 | 45 | | | <2 |
| 1,2-Dichloroethane | | (2 | | | (2 |
| 1,1-Dichloroethene | | <2 | | | <2 |
| t-1,2-Dichloroethene | | <2 | | | <2 |
| 1,2-Dichloropropane | | <2 | | | ⟨2 ⟨ |
| c-1,2-Dichloropropene | | <2 | | | <2 |
| t-1,2-Dichloropropene | | <2 | | | <2 |
| | | | | | |

Page 4 of 7

| DLPC Sample | A0756 | | EIS | #_ LP063 |
|--|--------------------------------------|----------------------|--------------------------------|------------------------------------|
| Parameter | Result | Precision (% RSD) | Accuracy (%R) Matrix EPA OC | Method Blank |
| Ethylbenzene Fluorotrichloromethane 2-Hexanone Methylene Chloride Methyl Ethyl Ketone Methyl Isobutyl Ketone Paraldehyde Styrene 1,1,2,2-Tetrachloroethane | <2 <10 <2 <10 <10 <10 <10 <2 <2 | | | <2 <10 <2 <10 <10 <10 <10 <2 <2 <2 |
| Tetrachloroethylene Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane | <2 <2 <2 <2 | | | <2 <2 <2 <2 <2 <2 |
| Trichloroethylene Vinyl Acetate Vinyl Chloride m-Xylene o-Xylene p-Xylene | <2 <10 <2 <10 <10 <10 | | | <10 <2 <10 <10 <10 |

Oct 28 10 os AM '85 ANALYTICAL REPORT

| DLPC | SPORT TON OF LAND |
|------|--------------------|
| | , AELAHAH COMIKUL. |

A0758

EIS # LP064

STATE
Date Resource: HEALTH-85 Received By: JW Date Report Submitted: 10-25-85

|TASK 1|

Turn Around Time ____ days Mercury Preservative Batch No.
Other Metal Preservative Batch No.

| Parameter | Result (mg/l) | Precision (% RSD) | Accuracy Matrix | 7 (% R) EPA QC | Method Blank |
|-----------|---------------|-------------------|--------------------|-------------------|-----------------|
| Arsenic | 0.012 | | | 96.0 | <0.01 |
| Barium | <0.5 | 0 | | 119.7 | <0.5 |
| Cadmium | 0.005 | | | 109. | <0.005 |
| Chromium | 0.027 | | | 110. | <0.01 |
| Lead | 0.092 | | | 105.4 | <0.03 |
| Mercury | <0.0002 | | | 85.7 | (0.0002 |
| Nickel | 0.058 | | 113.8 | 120. | <0.01 |
| Selenium | <0.005 | | | 88.1 | <0.005 |
| Silver | <0.005 | | | 103.3 | <0.005 |

TASK 2

Turn Around Time 30 days Date Analyzed: 8-7-85 Phenol Preservative Batch No.

| <u>Parameter</u> | Result (mg/l) | Precision (% RSD) | <u>Accuracy</u> <u>Matrix</u> | (% R) EPA QC | Method Blank |
|------------------|---------------|-------------------|----------------------------------|-----------------|-----------------|
| Chloride | 20. | | | 100.6 | <1 |
| Iron | 45. | 1.1 | | 104.5 | <0.1 |
| Manganese | 1.69 | 0.2 | <u> </u> | 103.5 | <0.025 |
| Phenols | 0.011 | | | 108.3 | <0.005 |
| Sodium | 145. | 0 | | 116. | (1. (|
| Sulfate | 292. | | | 117. | ⟨5. |

| DLPC Sample_ | | A0 | 758 | | EIS # | ‡_LP064 | | |
|---|---|--------------|-------------------|--------------------|----------------|------------------------|--|--|
| | | | TASK 3 | | | | | |
| Turn Around TOC Preserva | | | ys ———— | Date Analyze | ed: 8-20-8 | 35 | | |
| Parameter* | Result | <u>Units</u> | Precision (% RSD) | Accuracy Matrix | | Method <u>Blank</u> | | |
| На | 7.2 | рН | | | | | | |
| Sp. Cond. | 1384. | umhos | | | | | | |
| TOC | 10.96 | mg/l | 0.96 | | 99.8 | <1 | | |
| тон | 0.062 | mg/l | | | | , | | |
| T Residue | 1604. | mg/l | | | | | | |
| TOC TOH | * Sp. Cond. = Specific Conductance TOC = Total Organic Carbon TOH = Total Organic Halogen T Residue = Total Residue | | | | | | | |
| | | • | TASK 4 | | | | | |
| Turn Around Time 30 days Date Anayzed: 8-5-85 Cyanide Preservative Batch No Sulfide Preservative Batch No | | | | | | | | |
| <u>Parameter</u> | Result (ug/l) | Pre _(% | cision RSD) | Accuracy (| % R) EPA OC | Method Blank | | |
| Total Cyanide | ⟨5.0 | | | | 93.8 | <5.0 | | |
| Total Sulfide | 66.0 | | | | | | | |

| DLPC | Sample | A0758 | EIS #_ | LP064 |
|------|--------|--------|------------|-------|
| | | | | |
| | | TASK 5 | | |

Turn Around Time _____30 days Date Analyzed: 8-19-85 VOC Vial Lot No. _____

SURROGATE RESPONSES

| Surrogate No. | Compound | % Recovery | QC Limits |
|---------------|---|----------------------|----------------------------|
| 1 | Trichlorotrifluoroethane1,4-Dichlorobutane | | 71-128 69-121 |
| 3 | BromochloromethaneToluene, d61,4-Dichlorobutane | 85.3 84.5 90.1 | 78-122 82-118 76-124 |

SAMPLE RESULTS

| | | | | | • | |
|-------------------------|------------------|-------------------|--------------------------------|-------------------|---------------------------|-----|
| Parameter | Result (ug/l) | Precision (% RSD) | <u>Accura</u> <u>Matrix</u> | cy (%R) EPA OC | Method <u>Blank</u> ug | /] |
| Acetone | <10 | | | | <10 | |
| Acrolein | <10 | | | | <10 | |
| Acrylonitrile | <10 | | | | <10 | |
| Benzene | <2 | | | | <2 | |
| Bromoform | <2 | | | | <2 | |
| Bromodichloromethane | <2 | | | | <2 | |
| Bromomethane | <2 | | | | <2 | |
| Carbon Disulfide | <100 | | | | <100 | |
| Carbon Tetrachloride | <2 | | | | <2 | |
| Chlorobenzene | <2 | | | | <2 | |
| Chlorodibromomethane | <2 | | | | <2 | |
| Chloroethane | <2 | | | | <2 | |
| 2-Chloroethylvinylether | <2 | | | | <2 | |
| Chloroform | <2 | | | | <2 | |
| Chloromethane | < 2 | | | | <2 | |
| Dichlorodifluoromethane | <2 | | | | <2 | |
| 1,1-Dichloroethane | 4.5 | | | | <2 | |
| 1,2-Dichloroethane | - (2 | | | | <2 | _ |
| 1,1-Dichloroethene | <2 | | | | <2 | |
| t-1,2-Dichloroethene | <2 | | | | <2 | |
| 1,2-Dichloropropane | <2 | | | | <2 | |
| c-1,2-Dichloropropene | <2 | | | | ⟨2 | |
| t-1,2-Dichloropropene | <2 | | | | <2 | |
| | | | | | | |

Page 4 of 7

| DLPC Sample | <u> </u> | | EIS # <u>LP064</u> |
|---|---|-------------------|---|
| Parameter | Result | Precision (% RSD) | R) Method OC Blank |
| Ethylbenzene Fluorotrichloromethane 2-Hexanone Methylene Chloride Methyl Ethyl Ketone Methyl Isobutyl Ketone Paraldehyde Styrene 1,1,2,2-Tetrachloroethane Tetrachloroethylene Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethylene Vinyl Acetate Vinyl Chloride m-Xylene o-Xylene | <2 <10 <10 <10 <10 <2 <2 <2 <2 <2 <2 <2 <2 <10 <2 <10 <10 <10 <10 <10 <10 <10 | | <2 <10 <2 <10 <10 <10 <10 <2 <2 <2 <2 <2 <2 <2 <2 <2 <10 <2 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10 |
| p-Xylene | <10 | | <10 |

| Ост 28 | 10 | 05 | AH | 185 |
|--------|----|----|----|-----|
|--------|----|----|----|-----|

| DLPC SamplerTION OF LAND STATE | A0759 | | EIS # <u>LP065</u> |
|--------------------------------|--------------|---------------------------|--------------------|
| Date Recent HEALTH 85 | Received By: | <u>JW</u> Date Report Sub | omitted: 10-25-85 |

ITASK 1

Turn Around Time 30 days
Mercury Preservative Batch No.
Other Metal Preservative Batch No.

| <u>Parameter</u> | Result (mg/l) | Precision (% RSD) | <u>Accurac</u> <u>Matrix</u> | y (% R) EPA OC | Method Blank |
|------------------|---------------|-------------------|---------------------------------|-------------------|-----------------|
| Àrsenic | <0.01 | | | 96.0 | <0.01 |
| Barium | <0.5 | | 108.1 | 119.7 | <0.5 |
| Cadmium | <0.005 | 0 | 141. | 109. | <0.005 |
| Chromium | 0.014 | 0 | | 110. | <0.01 |
| Lead | 0.016 | 0 | | 105.4 | <0.07 |
| Mercury | <0.0002 | | | 85.7 | (0.0002 |
| Nickel | <0.01 | 0 | | 120. | <0.01 |
| Selenium | <0.005 | | | 88.1 | <0.005 |
| Silver | <0.005 | 0 | 91.2 | 103.3 | <0.005 |

TASK 2

Turn Around Time 30 days Date Analyzed: 8-7-85 Phenol Preservative Batch No.

| | <u>Parameter</u> | Result (mg/l) | Precision (% RSD) | <u>Accuracy</u> <u>Matrix</u> | (% R) EPA QC | Method <u>Blank</u> |
|---|------------------|---------------|-------------------|----------------------------------|-----------------|------------------------|
| | Chloride | 540. | | | 100.6 | <1 |
| | Iron | 1.6 | | | 104.5 | <0.1 |
| = | -Manganese - | 0.310 | | | 103.5 | 40.025 |
| | Phenols | 0.014 | | | 108.3 | <0.00° |
| | Sodium | 273. | | | 116. | <1. \ |
| | Sulfate | 326. | | | 117. | ⟨5. |

| DLPC Sample_ | | A0. | 759 | | EIS | #_ LP065 | | | |
|---|--|--------------|-------------------|--------------------|-------------------|------------------------|--|--|--|
| | TASK 3 | | | | | | | | |
| Turn Around 1 TOC Preserva | Turn Around Time 30 days Date Analyzed: 8-20-85 TOC Preservative Batch No. | | | | | | | | |
| Parameter* | Result | <u>Units</u> | Precision (% RSD) | | y (% R) EPA OC | Method <u>Blank</u> | | | |
| На | 7.8 | рH | | | | | | | |
| Sp. Cond. | 2790. | umhos | | | | | | | |
| TOC | 8.979 | mg/l | 4.7 | | 99.8 | <1 | | | |
| тон | 0.077 | mg/l | | | | | | | |
| T Residue | 1834. | mg/l | | | | | | | |
| * Sp. Cond. = Specific Conductance TOC = Total Organic Carbon TOH = Total Organic Halogen T Residue = Total Residue | | | | | | | | | |
| | | | TASK 4 | 1 | | | | | |
| Turn Around Time 30 days Date Anayzed: 8-5-85 Cyanide Preservative Batch No Sulfide Preservative Batch No | | | | | | | | | |
| <u>Parameter</u> | Result (ug/l) | | rision RSD) | Accuracy Matrix | (% R) EPA QC | Method Blank | | | |
| Total Cyanide | ⟨5.0 | | | | 93.8 | <5.0 | | | |
| Total Sulfide | 38.0 | | | | | | | | |

ANALYTICAL REPORT

| DLPC Sample | A0759 | 9 | | | EIS : | #_ LP065 |
|--|--|--|-------------------|-------------------------|-------|--|
| | | | | | | |
| | | ITA | SK 5 | | | |
| Turn Around Time VOC Vial Lot No. | | ays | Date Anal | lyzed: 8-19 | -85 | |
| SURROGATE RESPONS | SES | | | | | |
| Surrogate No. | Cor | npound | | % Recovery | | QC Limits |
| 1 | . Trichlorot | | | | | 71-128 69-121 |
| 3 | . Bromochlon. Toluene, c. 1,4-Dichlo | 16 | | 108.5 100.8 106.4 | | 78-122 82-118 76-124 |
| SAMPLE RESULTS | | | | | | |
| Paramete | er | Result (ug/l) | Precision (% RSD) | | | |
| Acetone Acrolein Acrylonitrile Benzene Bromoform Bromodichlorometh Bromomethane Carbon Disulfide Carbon Tetrachlor Chlorobenzene Chlorodibromometh Chloroethane 2-Chloroethylviny Chloroform Chloromethane Dichlorodifluorom 1,1-Dichloroethane 1,2-Dichloroethane | ride nane vlether nethane ne | <10 <10 <10 <2 <2 <2 <100 <2 <2 <2 <2 <2 <2 <2 <2 <2 <2 <2 <2 <2 | | | | <10 <10 <10 <2 <2 <2 <100 <2 <100 <2 <2 <2 <2 <2 <2 <2 <2 <2 <2 <2 <2 <2 |
| 1,1-Dichloroether t-1,2-Dichloroeth 1,2-Dichloroprope c-1,2-Dichloropro t-1,2-Dichloropro | nene ane opene | <2 <2 <2 <2 <2 <2 | | | | <pre> <2 <2 <2 <2 <2 <2 <2 <2 </pre> |

Page 4 of 7

| DLPC Sample | <u> </u> | | EIS | #LP065 |
|---------------------------|------------------|----------------------|--------------------------------|-----------------|
| Parameter | Result (ug/l) | Precision (% RSD) | Accuracy (%R) Matrix EPA OC | Method Blank |
| Ethylbenzene | <2 | | | < 2 |
| Fluorotrichloromethane | <2 | | | < 2 |
| 2-Hexanone | <10 | | | <10 |
| Methylene Chloride | <2 | | | < 2 |
| Methyl Ethyl Ketone | <10 | | | <10 |
| Methyl Isobutyl Ketone | <10 | | | <10 |
| Paraldehyde | <10 | | | <10 |
| Styrene | <2 | | | < 2 |
| 1,1,2,2-Tetrachloroethane | <2 | | | <2 |
| Tetrachloroethylene | <2 | | | < 2 |
| Toluene | < 2 | | | < 2 |
| l,1,1-Trichloroethane | <2 | | | < 2 |
| 1,1,2-Trichloroethane | <2 | | | < 2 |
| Trichloroethylene | <2 | | | < 2 |
| Vinyl Acetate | <10 | | | <10 |
| Vinyl Chloride | < 2 | | • | <2 |
| m-Xylene | <10 | | | <10 |
| o-Xylene | <10 | | | <10 |
| p-Xylene | <10 | | • | <10 |

| Ост 28 | 10 os AM | 185 |
|--------|----------|-----|
|--------|----------|-----|

| DLPC SanditeTIOH CONTROL | A0760 | EIS # LP066 |
|--------------------------|-----------------|---------------------------------|
| SIATE | Received By: JW | Date Report Submitted: 10-25-85 |
| | | |

TASK 11

Turn Around Time 30 days

Mercury Preservative Batch No. 0ther Metal Preservative Batch No. _____

| <u>Parameter</u> | Result (mg/l) | Precision (% RSD) | <u>Accuracy</u> <u>Matrix</u> | (% R) EPA QC | Method Blank |
|------------------|---------------|----------------------|----------------------------------|-----------------|-----------------|
| Arsenic | <0.01 | | | 96.0 | <0.01 |
| Barium | <0.5 | • | | 119.7 | <0.5 |
| Cadmium | <0.005 | | | 109. | <0.005 |
| Chromium | (0.01 | | | 110. | <0.01 |
| Lead | (0.01 | | | 105.4 | (0.07 |
| Mercury | (0.0002 | | | 85.7 | ⟨0.00∪∠ |
| Nickel | <0.01 | | | 120. | <0.01 |
| Selenium | <0.005 | | | 88.1 | <0.005 |
| Silver | <0.005 | | | 103.3 | <0.005 |

TASK 21

Turn Around Time 30 days Date Analyzed: 8-7-85 Phenol Preservative Batch No.

| | <u>Parameter</u> | Result (mg/l) | Precision (% RSD) | <u>Accuracy</u> <u>Matrix</u> | (% R) EPA OC | Method <u>Blank</u> |
|---|------------------|-------------------|----------------------|----------------------------------|-----------------|------------------------|
| | Chloride | <1. | | | 100.6 | <1 |
| | Iron | 0.12 | | | 104.5 | <0.1 |
| - | Manganese | (0.025 | | | 103.5 | <0.025 |
| | Phenols | <0.005 | | | 108.3 | (0.00 |
| | Sodium | <1. | | | 116. | <1. |
| | Sulfate | ⟨5. | | | 117. | <5. |

| DLPC Sample_ | - | A07 | 60 | | EIS # | LP066 | | | | |
|---|---|--------------------|-------------------|----------------------------------|----------------|------------------------|--|--|--|--|
| | | | | | | | | | | |
| | | | TASK 3 | | | | | | | |
| Turn Around | Turn Around Time 30 days Date Analyzed: 8-26-85 TOC Preservative Batch No | | | | | | | | | |
| roc freserva | cive bacen | NO: | | λ ~ ~ ~ ~ | / % D) | M-41-3 | | | | |
| <u>Parameter*</u> | Result ! | <u>Units</u> | Precision (% RSD) | <u>Accuracy</u> <u>Matrix</u> | | Method <u>Blank</u> | | | | |
| рH | 5.8 | рН | | | | | | | | |
| Sp. Cond. | 1.535 | umhos | | | | | | | | |
| TOC | 0.109 | mg/l | 18.1 | | 97.8 | <1 | | | | |
| TOH** | <0.050 I | mg/l | | | | | | | | |
| T Residue | <1. n | mg/l | | | | | | | | |
| TOH | = Specif = Total = Total = Total | Organic Organic | Carbon Halogen | | | | | | | |
| ** This samp | le yielded | 2.45 ug | Chloride fo | or 80 mg Car | bon + Nitra | ate Wash | | | | |
| | | | TASK 4 | | | | | | | |
| Turn Around Cyanide Pres Sulfide Pres | ervative Ba | atch No. | | Date Anay | zed: 8-5- | 85 | | | | |
| <u>Parameter</u> | Result (ug/1) | | _ | Accuracy (Matrix | % R) EPA OC | Method Blank | | | | |
| Total Cyanide | <5.0 | 0 | | | 93.8 | ⟨5.0 | | | | |
| Total Sulfide | <4.0 | | | | - | | | | | |
| | | | | | | | | | | |

| DLPC Sample _ | A0760 | | EIS # | LP066 |
|---------------|-------------|----------------|---------|-------|
| | | | | |
| | | TASK 5 | | |
| Turn Around T | 30 days | Date Analyzed: | 8-19-85 | |

SURROGATE RESPONSES

| Surrogate No. | Compound | % Recovery | QC Limits |
|---------------|---|-------------------------|----------------------------|
| 1 | . Trichlorotrifluoroethane . 1,4-Dichlorobutane | | 71-128 69-121 |
| 3 | BromochloromethaneToluene, d61,4-Dichlorobutane | 101.7 104.3 104.0 | 78-122 82-118 76-124 |

SAMPLE RESULTS

| Parameter | Result (ug/l) | Precision (% RSD) | | cy (%R) EPA QC | Method <u>Blank</u> ug/ |
|-------------------------|------------------|----------------------|---|-------------------|----------------------------|
| Acetone | <10 | | | | <10 |
| Acrolein | <10 | | | | <10 |
| Acrylonitrile | <10 | | | | <10 |
| Benzene | ⟨2 | | | | < 2 |
| Bromoform | <2 | | | | ⟨2 |
| Bromodichloromethane | <2 | | | | <2 |
| Bromomethane | ⟨2 | | | | <2 |
| Carbon Disulfide | <100 | | | | <100 |
| Carbon Tetrachloride | ⟨2 | | | | <2 |
| Chlorobenzene | <2 | | | | <2 |
| Chlorodibromomethane | <2 | | | | < 2 |
| Chloroethane | < 2 | | | | <2 |
| 2-Chloroethylvinylether | <2 | | | | <2 |
| Chloroform | <2 | | | | <2 |
| Chloromethane | <2 | | | | <2 |
| Dichlorodifluoromethane | <2 | | | | <2 |
| l,1-Dichloroethane | <2 | | • | | <2 |
| 1,2-Dichloroethane | <2 | | | | ₹2 |
| l,1-Dichloroethene | <2 | | | | <2 |
| t-1,2-Dichloroethene | <2 | | | | <2 |
| l,2-Dichloropropane | <2 | | | | ⟨2 \ |
| c-1,2-Dichloropropene | <2 | | | | <2 |
| t-1,2-Dichloropropene | <2 | | | | <2 |
| | | | | | |


Page 4 of 7

| DLPC Sample | A0760 | | EIS # <u>I</u> | LP066 |
|---|---|-------------------|--|-------------|
| Parameter | Result (ug/l) | Precision (% RSD) | | thod ank |
| Ethylbenzene Fluorotrichloromethane 2-Hexanone Methylene Chloride Methyl Ethyl Ketone Methyl Isobutyl Ketone Paraldehyde Styrene 1,1,2,2-Tetrachloroethane Tetrachloroethylene Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethylene Vinyl Acetate Vinyl Chloride m-Xylene 0-Xylene | <2 <10 <10 <10 <10 <2 <2 <2 <2 <2 <2 <2 <2 <10 <2 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10 | | <2 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10 | |
| p-Xylene | <10 | | (10 |) |

LAKE COUNTY H ALTH

LAKE COUNTY GOVERNMENT CENTER 2293 NORTH MAIN STREET CROWN POINT INDIANA 46307 PHONE 738-2020 OR 663-0760





PEARL D JOHNSON M D HEALTH COMMISSIONER

November 21, 1986

Mr. Larry Hagen
Gary Development Company
Box 6056
Gary, Indiana 46406

Dear Mr. Hagen,

This is a letter report of the analysis performed on four samples of well water, which were delivered to this laboratory on November 6, 1986.

| Sample | рН | Chloride | COD | Calcium Hardness | Total Iron | Total Dissolved Solids |
|--------|-----|----------|-----|---------------------|---------------|------------------------------|
| North | 7.2 | 15.0 | 356 | 570.0 | 91.9 | 1352 |
| South | 7.2 | 77.6 | 360 | 1388.4 | 96.6 | 2628 |
| East | 7.6 | 51.7 | 978 | 574.6 | 114.0 | 2190 |
| West | 7.7 | 104.0 | 50 | 223.4 | 2.1 | 700 |

Note: Units of concentration for Chloride, COD, Hardness, Iron and Dissolved Solids are parts-per-million (ppm).

If you have any questions, please contact me at this office.

Sincerely,

Cheryl Pauer

Chemist

LAKE COUNTY HEAL. HI DEPARTMENT

LAKE COUNTY GOVERNMENT CENTER 2293 NORTH MAIN STREET CROWN POINT, INDIANA 46307 PHONE 738-2020 OR 663-0760





OFFICE OF OPEARL D JOHNSON, MD AND HAZARDOUS WASTE MIGHT

DEH February 6, 1987

Mr. Larry Hagen Gary Development Company Box 6056 Gary, Indiana 46406

Dear Mr. Hagen,

This is a letter report of the analysis performed on three samples of well water, which were delivered to this laboratory on January 30, 1987.

| Sample | pH Ch | loride | COD | Calcium Hardness | Total Iron | Total Dissolved Solids |
|--------|-------|--------|--------|---------------------|---------------|------------------------------|
| South | 7.2 | 93.6 | 1134.1 | 977.2 | 157.0 | 2026 |
| East | 7.7 | 81.8 | 3594.5 | 315.4 | 134.0 | 1812 |
| West | 7.6 | 159.1 | 229.2 | 354.6 | 10.8 | 1022 |

Units of concentration for Chloride, COD, Hardness, Iron and Note: Dissolved Solids are parts-per-millions (ppm).

If you have any questions, please contact me at this office.

WELL # 4 THE NORTH WELL, WAS LOST INTHE SNOW, CONCO NOT FIND

Cheryl Pauer

Sincerely,

Cheryl Pauer Chemist

AT TIME OF SAMPECIALI

L. Howar

a. a. Len BAD. . -

DEC 15 2 22 PH '88

Lake County Health Department Laboratory AAD HANGE SOUND WASTE MOUNTS Crown Point, Indiana 46307

Phone: 738-2020 X318

Date: December 5 1988 GARY Development Box 6056 BARY, IN 46406

Attention: MR. LARRY HAGEN Re:

RESULTS ON WELL WATER

Tabulated below are laboratory findings on well water samples collected on:

| Date | Sample | рН | Chloride (ppm) | (ppm) | Calcium Hardness (ppm) | Total Iron (ppm) | Total Dissolved Solids (ppm) |
|----------|----------|-----|----------------|-------|------------------------------|------------------------|------------------------------|
| 11/30/88 | N | 7.0 | 3.0 | 120.3 | 7/2 | 7.5 | 1880 |
| | <u> </u> | 7.4 | <u>5.</u> 0 | 185.0 | 1400 | 4.25 | 1800 |
| | E | 7.6 | 2.0 | 47.3 | 1056 | 3.25 | 2150 |
| | W | 7.8 | 5.5 | 72.0 | 568 | 0.35 | 690 |

Thank you,

milael Kaynh

Chemist

HERE ARE THE TEST RESNITS FOR ONR HWELLS, THE FIRST SET OF SAMPLES AT EMO OF OST, WERE LOST OR MISSPLACED AT LAB.

RESOURCES 12 NOV.

L. Haras

LAKE COUNTY HEAT DEPARTMENT

LAKE COUNTY GOVER .. MENT CENTER 2293 NORTH MAIN STREET CROWN POINT, INDIANA 46307 PHONE 738-2020 OR 563-0760





HEALTH COMMISSIONER

August 23, 1985

Gary Development Company Box 6056

Gary, Indiana

IND07.7005-916

Attn: Mr. Larry Hagen:

Given below are test data obtained from four samples of Well Water which you delivered to this laboratory on July 30, 1985.

| Sample | рН | Chloride | COD | Calcium Hardness | Total Iron | Total Dissolved Solids |
|--------|-----|----------|-----|---------------------|---------------|------------------------|
| North | 7.5 | 22.4 | 375 | 298 | 0.15 | 600 |
| South | 7.5 | 127.3 | 60 | 693 | 0.17 | 1200 |
| East | 7.5 | 54.8 | 900 | 1098 | 0.17 | 1900 |
| West | 8.0 | 616.0 | 17 | 242 - | 0.49 | 1500 |
| | | | | | | |

Sincerely,

Charl I Face Cheryl A. Pauer

LAKE COUNTY HEALTH

LAKE COUNTY GOVERNMENT CENTER 2293 NORTH MAIN STREET CROWN POINT INDIANA 46307 PHONE 738-2020 OR 663-0760



HEALTH COMMISSIONER

November 3, 1982

ZCId

RECEIVED

NOV 1 2 1982

INDIANA STATE BOARD OF HEALTH PUBLIC WATER SUPPLY DIVISION

Gary Development Co. Inc.

Box 6056

Gary, Ind. 46406

Attention: Mr. Larry Hagen

Test data tabulated below were obtained for 4 Well samples from Sanitary land fill 45 - 2 that your personel delivered to our laboratory on November 1, 1982.

| | - | | Chem | | | Total |
|---------|------|----------|--------|-------|-------|-------|
| | | | Oxygen | Total | Total | Dis |
| Samples | рН | Chloride | Demand | Hard | Iron | Sol |
| North | 7.2 | 500 | 60 | 240 | .8 | 675 |
| South | 7.55 | 250 | 100 | 400 | 1.1 | 1125 |
| West | 8.1 | 350 | 550 | 80 | .85 | 1175 |
| Bldg. | 8.5 | 100 | 60 | 40 | •3 | 700 |

NOV 15 | 29 PH 122

Sincerely,

Andrew F. Livovich

C. Chemist,

AFL/lr

WATER SAMPLES FROM WELLS

Oct. 29, 82



GULF COAST LABORATORIES, INC. 2417 Bond St., Park Forest South, Illinois 60466 Phones (312) 534-5200 (219) 885-7077 (815) 72

ANALYTICAL REPORT

_ Date .

TO: Gary Development P. O. 6056

Approved:

Gary, Indiana 46406

ATTN: Mr. Larry Hagen

DATE: February 24, 1983

RE: Monitoring Well Analysis

Sample Date: 2/08/83

West Well GCL# 35971

| <u> </u> | PARAMETERS | RESUL | TS | | |
|--|------------------------|-------|------|-------------|-------------|
| | Chloride | 325 | mg/l | | |
| | COD | 40 | mg/l | | |
| | Hardness | 320 | mg/l | | |
| | Total Iron | 0.3 | mg/l | | <i>i</i> |
| | рН | 6.8 | | | |
| | Total Dissolved Solids | 1,070 | mg/l | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | _ |
| | | | , | | |
| | | | | ' مع | |
| | | | | | |
| | | | | • | |
| | | | | | |
| ······································ | | | | | (|
| | | | | | |
| | | | | | |



GULF COAST LABORATORIES. INC
2417 Bond St., Park Forest South, Illinois 60466
Phones (312) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

I-F

TO: Gary Development

P. O. 6056

Gary, Indiana 46406.

ATTN: Mr. Larry Hagen

DATE: February 24, 1983

RE: Monitoring Well Analysis

Sample Date: 2/08/83

South Well GCL# 35970

Analyst _

| 15- | PARAMETERS | RESULTS | |
|-------------|---------------------------------------|--|-------|
| | Chloride | 245 mg/l | |
| | COD | 630 mg/l | |
| | Hardness | 1,060 mg/1 | |
| | Total Iron | 0.3 mg/l | |
| Ţ | рн | 7.2 | |
| | Total Dissolved Solids | 1,870 mg/l | |
| | | | |
| <u></u> | | | |
| | | | |
| | , | | |
| | | , | |
| | | | |
| | | | |
| - | | | |
| | · · · · · · · · · · · · · · · · · · · | | |
| | | | |
| 1 | | | |
| | | ······································ | ····· |
| | | | |



GULF COAST LABORATORIES, INC.

2417 Bond St., Park Forest South, Illinois 60466 > Phones (312) 534-5200 (219) 685-7077 (815)

ANALYTICAL REPORT

ZCID

2/24/8

Date _

TO: Gary Development

P. O. 6056

Gary, Indiana 46406

ATTN: Mr. Larry Hagen

DATE: February 24, 1983

RE: Monitoring Well Analysis

Sample Date: 2/08/83

North Well GCL# 35969

| 6 - | PARAMETERS | RESUL | rs | |
|------------|------------------------|-------|-------------|-----------|
| | Chloride | 83 | mg/l | |
| | COD | 45 | mg/l | |
| | Hardness | 290 | mg/l | |
| | Total Iron | 1.1 | mg/l | |
| | рН | 7.2 | | |
| | Total Dissolved Solids | 1,115 | mg/l | |
| | | | | |
| | | | | |
| | | | | |
| | | | | #AR |
| | | | | of Le |
| | | | | |
| | | | | 35 PH 193 |
| | | | | EB. |
| | | | | - |
| | | | | |
| | | | | |
| | | | | |

LAKE COUNTY HEALTH DEPARTMENT

LAKE COUNTY GOVERNMENT CENTER 2293 NORTH MAIN STREET CROWN POINT, INDIANA 46307 PHONE 738-2020 OR 663-0760





PETER STECY MD HEALTH COMMISSIONER

May 11, 1983

Gary Development Co. Inc. Box 6056

Gary, Ind. 46406

Attention: Mr. Larry Hagen

Given below are data obtained for three samples of Water from Sanitary landfill 45-2 that you delivered to our laboratory on May 10, 1983.

| Samples | рН | Chloride | Chem. Oxygen Demand | Hardness | Iron | Total Dissolved Solids |
|---------|-----|----------|---------------------------|----------|------|------------------------------|
| North | 7.6 | 200 | 76 | 260 | .77 | 900 |
| South | 7.5 | 205 | 200 | 900 | . 80 | 1450 |
| West | 7.7 | 325 | 40 | 200 | .48 | 1050 |

Kindly send a check of \$117.00 to the Lake County Health Dept. to cover cost of tests.

Andrew F. Livovich

C. Chemist


Copy:

E. Hoshaw

LAKE COUNTY HEALTH

LAKE COUNTY GOVERNMENT CENTER 2293 NORTH MAIN STREET CROWN POINT, INDIANA 46307 PHONE 738-2020 OR 663-0760





PETER STECY M.D. HEALTH COMMISSIONER

September 1, 1983

201

Gary Development Co. Box 6056 Gary, Indiana 46406

Attention: Mr. Larry Hagen:

Given below are data obtained for three Well samples from Sanitary Landfill 45-2 that you delivered to our Laboratory on August 30, 1983.

| Samples | рН | Chloride | Chem. Oxygen Demand | Calcium Hardness | Total Iron | Total Dissolved Solids | |
|---------|------|----------|---------------------------|---------------------|---------------|------------------------------|--|
| North | 7.55 | 150 | 40 | 120 | 1.2 | 950 | |
| South | 7.30 | 135 | 120 | 116 | 1.35 | 1100 | |
| West | 7.25 | 250 | 130 | 80 | 0.1 | 1000 | |

Kindly send check of \$117.00 to the Lake County Health Dept. to cover costs of Tests.

Sincerely

Andrew F. Livovich

ć. Chemist

Copy:

Esther, Hoshaw

LAKE COUNTY HEALT.,
DEPARTMENT

CROWN (IN) INDIANA 463.7

PHONE 738-2020 OR 663-0760





PETER STECY MD HEALTH COMMISSIONER

November 14, 1983

2 dd = I-F

Gary Development Co. Dox 6056

Gary, Ind. 46406

Attention: Larry Hagen:

Given below are data obtained for three Well Samples from Sanitary Landfill 45-2 that you delivered to our laboratory on November 10, 1983.

Parts Per Million

| Well | рН | Chloride | Chem Oxygen Demand | Calcium Hardness | Total Iron | Total Dissolved Solids |
|-------|-----|----------|--------------------------|---------------------|---------------|------------------------------|
| North | 7.4 | 140 | 80 | 330 | 2 | 800 |
| South | 7.7 | 180 | 200 | 135 | 23/4 | 1200 |
| West | 7.1 | 295 | 50 | 165 | 0.4 | 1150 |

Kindly send check of \$117.00 to the Lake County Health Dept. to cover costs of tests.

Sincerply,

Andrew F. Livovich

C. Chemist

AFL/lr

AKE COUNTY HEALTÍ DEPARTMENT

LAKE COUNTY GOVERNMENT CENTER 2293 NORTH MAIN STREET CROWN POINT INDIANA 46307 PHONE 738-2020 OR 663-0760



PETER STECY MD
HEALTH COMMISSIONER
February 17, 1984

FEB 27 G DS MI 21

Gary Development Co. Box 6056 Gary, Ind. 46406

Attention: Mr. Larry Hagen

Given below are test data obtained from three Well Samples that you delivered to our laboratory on February 15, 1984:

Parts Per Million

| Well_ | Нq | Chloride | Chem Oxygen Demand | Calcium Hardness | Total Iron | Total Dissolved Solids |
|-------|-----|----------|--------------------------|---------------------|---------------|------------------------------|
| North | 7.5 | 75 | 400 | 410 | 1.45 | 750 |
| South | 7.1 | 420 | 500 | 1400 | 1.55 | 350 |
| West | 7.5 | 250 | 50 | 150 | 0.4 | 720 |

Kindly send check of \$117.00 to the Lake County Health Dept; to cover costs of tests.

Sincerelly,

Andrew F. Livovich

C. Chemist

AFL/lr


Copy:

Esther Hoshaw

COUNTY HEALT DEPARTMENT

AKE COUNTY GOVERNMENT CENTER 2293 NORTH MAIN STREET CROWN POINT, INDIANA 46307 PHONE: 738-2020 OR 663-0760





HEALTH COMMISSIONER

May 3, 1984

PEARL JOHNSON M.D.

GARY DEVELOPMENT CO. BOX 6056 GARY, INDIANA 46406

Attn: Mr. Larry Hagen

Dear Mr. Hagen.

Test data tabulated below were obtained from three (3) well samples that you delivered to our laboratory on April 27, 1984.


PARTS PER MILLION

| <u>WELL</u> | На | CHLORIVE | CHEMICAL OXYGEN DEMAND | CALCIUM HARDNESS | TOTAL IRON | TOTAL DISSOLVED SOLIDS |
|-------------|-----|----------|------------------------|---------------------|---------------|------------------------------|
| NORTH | 7.2 | 75 | 250 | 200 | 2.6 | 950 |
| SOUTH | 7.0 | 650 | 240 | 650 | 3.0 | 2650 |
| WEST | 7.4 | 525 | 5 0 | 120 | 0.45 | 1500 |


Enclosed is a Statement of Fees covering costs of Tests Performed. Please note the increase in fees based on new fee schedule of the Lake County Health Department.

Andrew Livovich

Chief Chemist -



1-14-5 = 83





5-11-89 #31

The Indiana State Archives serves to ensure the preservation of important official and historical public records, and to make them available to patrons. Patrons are expected to read and observe the following guidelines for the reading room of the Indiana State Archives. These guidelines are based on Indiana law found in IC 5-15-5.1 and have been adopted in accordance with policy 05-02 of the Oversight Committee on Public Records. If you have any questions, a staff member can explain or demonstrate the guidelines for you.

GUIDELINES FOR THE USE OF RECORDS

- All patrons must read, sign and date the registration form prior to use of all records or reference sources. The signed registration form shall constitute an acknowledgment that the patron will abide by the guidelines and procedures outlined on the registration form.
- 2. Food and drink are not allowed in the reading room.
- Coats must be hung in the designated area. All carrying bags or briefcases must be lockered. Only note pads and laptop computers will be permitted to rest on table tops. The State Archives reserves the right to inspect personal belongings at any time.
- 4. Pencils must be used in taking notes. Pens and magic markers are not permitted to be used in conjunction with Archives' records. Pencils can be provided to patrons.
- 5. No documents may be taken out of the reading room.
- 6. When examining materials, patrons must keep documents in the original order found in the box or folder.
- 7. Lay documents, including photographs, flat on table during use. Do not hold up, put in lap, or otherwise hold during use. Do not lean on records, or put notebook on documents.
- 8. Microfilm or other reproductions of documents will be used when available.
- 9. Cotton protective gloves will be used for handling all photographs / negatives, and certain documents at the archivist's discretion. Gloves are available at the reference desk.
- Citations to records in the Indiana State Archives in both published and non-published works and exhibitions will read, "Indiana State Archives, Commission on Public Records."
- 11. Requests for records will be handled one at a time and in the order they were received.
- 12. Records will be retrieved from remote stacks locations until one half hour before closing time. Patrons will be requested to stop and return Archives materials ten minutes before closing time.
- 13. Reproductions are provided to patrons at a cost and according to established procedures. The Indiana State Archives will weigh the need for preservation from deterioration or mutilation of original records when receiving a request to inspect or copy records. No personal scanning or camera equipment is permitted to be used to record documents at the State Archives. (IC 5-15-5.1-7)
- 14. The Indiana State Archives takes no responsibility for the patron's misuse of copyright.

I agree to abide by the guidelines listed above while using records in the Indiana State Archives.

| (Please fill out the form below legibly and completely). | |
|--|-------------------------|
| Signature of patron Cultural Transfer of the C | Date (month, day, year) |
| Name of patron printed TAWARS 1-1 | |
| Agency/Institution- Institution | Environmed Wouragener |
| Address (number and street) ON. Sonale | |
| City Talana De | State ZIP code |



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

REPLY TO THE ATTENTION OF

LP-91

May 8, 2009

RECEIVED

MOY 1 3 71114

DEPARTMENT OF THEMAGEAPAN LATHEMHORN HE VITIAND QUALITY

Mr. Mike Sickels
Indiana Department of Environmental Management
Office of Land Quality/Remediation Services Branch
100 North Senate Avenue
Room IGCN 1154
Indianapolis, IN 46204

Dear Mr. Sickels:

Re: Gary Development – IND 077 005 916

In response to your recent request for Compliance Monitoring and Enforcement records relating to Gary Development, records from the Land and Chemicals Division (LCD) have been reviewed, duplicated and are enclosed (see enclosed list).

I would like to bring to your attention two folders that contain records usually considered "enforcement confidential." Leverett Nelson, Associate Regional Counsel, reviewed the folders on May 1, 2009, and determined that due to our partnership with IDEM, we would not withhold attorney notes that would usually be withheld from members of the general public. We ask that you guard against duplication, further release and distribution of the records found in the C.3 Enforcement Confidential folders.

The entire file is being provided free of charge, as I am not aware of your request being assigned as an official Freedom of Information Act request.

If you have any questions, please call me at 312-886-4188.

Sincerely,

Terri I Rancher

Environmental Protection Specialist

Gary Development IND 097 005 916

- A.2 Part A/Interim Status records dated from 11/14/80 1/15/97
- A 3.1 A.3 4 Correspondence/Samplings (1983) records dated 9/1/83 1/8/97
- B.1.1 B.1.8 Correspondence Variance/State (1982) records dated 11/14/80 11/9/89
- C 1 Compliance Inspection Report records dated 8/19/87 2/1/95
- C.2 Hazardous Waste Manifest (1980-1987) records dated 12/5/80 11/18/87
- C.2 Hazardous Waste Tracking Forms ('80 '83) records dated 12/3/81 12/31/82
- C.2 Compliance Enforcement (1980) records dated 5/28/82 9/2/97
- C.3 Enforcement Confidential (1979 1996) records dated 3/22/76 10/16/96
- C.3 Enforcement Confidential records dated 1/9/97 11/9/98
- D.1.4 Preliminary Assessment Visual Site Inspection records dated 6/17/85 9/25/87
- F.1 Imagery and Special Studies records dated 9/26/96 1/22/97

Suspense (records yet to be classified and filed) records dated 4.8.96 - 3/23/00

I Not to be used as primary references or duplicated in any manner. MES, 5/13/09